




Service Manual

Nakamichi

TA-4
TA-4A
TA-4E

High Definition Tuner Amplifier




CONTENTS

1.	General	1
2.	Removal Procedures	3
2. 1.	Top Cover Ass'y and Bottom Cover Ass'y	3
2. 2.	Front Panel Ass'y, Remote Control Sensor P.C.B. Ass'y and Power Indicator P.C.B. Ass'y	3
2. 3.	Front Chassis Ass'y and Control Switch & Display P.C.B. Ass'y	3
2. 4.	How to Disconnect/Connect Flat Cable	4
2. 5.	Video & Logic P.C.B. Ass'y	4
3.	Parts Location for Electrical Adjustment	5
4.	Electrical Adjustments	6
4. 1.	Power Amplifier Section	6
4. 2.	Tuner Section	6
4.2.1.	FM Tuner Section	6
4.2.2.	AM Tuner Section	8
5.	Mechanism Ass'y and Parts List	9
5. 1.	Synthesis	9
5. 2.	Front Panel Ass'y (A01)	10
5. 3.	Front Chassis Ass'y (A02)	10
5. 4.	Chassis Ass'y (A03)	11
5. 5.	Heat Sink Ass'y (B01)	13
6.	Mounting Diagrams and Parts List	14
6. 1.	Power Switch P.C.B. Ass'y	14
6. 2.	Speaker Terminal P.C.B. Ass'y	14
6. 3.	Pin Jack P.C.B. Ass'y	14
6. 4.	Headphone Jack P.C.B. Ass'y	14
6. 5.	Power Indicator P.C.B. Ass'y	14
6. 6.	Volume Indicator P.C.B. Ass'y	15
6. 7.	Volume Motor P.C.B. Ass'y	15
6. 8.	Transistor Joint P.C.B. Ass'y	15
6. 9.	Remote Control Sensor P.C.B. Ass'y	15
6. 10.	IF Band Switch P.C.B. Ass'y	15
6. 11.	Selector P.C.B. Ass'y	15
6. 12.	Remote Jack P.C.B. Ass'y	16
6. 13.	Volume P.C.B. Ass'y	16
6. 14.	Power Supply P.C.B. Ass'y	16
6. 15.	Standby P.C.B. Ass'y	17
6. 16.	Tone Control P.C.B. Ass'y	17
6. 17.	Control Switch & Display P.C.B. Ass'y	19
6. 18.	Tuner P.C.B. Ass'y	21
6. 19.	Video & Logic P.C.B. Ass'y	24
6. 20.	Main P.C.B. Ass'y	25
7.	Schematic Diagrams	27
7. 1.	IC Block Diagrams	27
7. 2.	Schematic Diagrams	30
7.2.1.	Tuner Section	30
7.2.2.	Video and Control Section	31
7.2.3.	Amplifier Section	32
8.	Wiring Diagram	33
9.	Block Diagrams	34
9. 1.	Tuner Section	34
9. 2.	Amplifier Section	35
10.	Specifications	36

1. GENERAL

1.1. CAUTIONS/WARNINGS

(1) Product Safety Notice

Parts marked with the symbol  in the schematic diagram have critical characteristics. Use ONLY replacement parts recommended by the manufacturer.

It is recommended that the unit be operated from a suitable DC supply or batteries during initial check-out procedures.

(2) Leakage Current Check/Resistance Check

Before returning the unit to the customer, make sure you make either (1) a leakage current check or (2) a line to chassis resistance check. If the leakage current exceeds 0.5 milliamp, or if the resistance from chassis to either side of the power cord is less than 240 k ohms, the unit is defective.

WARNING — DO NOT return the unit to the customer until the problem is located and corrected.

(3) Lithium Battery Caution

Use **ONLY** replacement parts recommended by the manufacturer. Replacement must be done only by qualified service personnel because of risk for explosion.

VARNING

Litiumbatteri. Explosionsfara vid felaktig hantering. Byte får endast ske av sakkunnig personal enligt servicedokumentationens anvisningar.

ADVARSEL!

Lithiumbatterier. Eksplosionsfare. Udskiftning må kun foretages af en sagkyndig og som beskrevet i servicemanualen. batterierne kun må udskiftes med batterier af samme fabrikat og type.

1.4. Package Ass'y




Fig. 1.1

1.2. Destination

TA-4: Other
TA-4A: U.S.A. & Canada
TA-4E: Europe

1.3. Voltage Selector

Voltage selector is installed on the rear panel of the TA-4 (Other). This voltage selector can select 110, 120, 220, or 240 V at customer's disposal.

1.5. Accessory Ass'y




Fig. 1.2

Schematic Ref. No.	Part No.	Description	Q'ty	Schematic Ref. No.	Part No.	Description	Q'ty
		Package Ass'y				Accessory Ass'y	
01	0F04176A	Packing (TA-4/4E)	2	01	DA04183A	Remote Control Unit	1
02	0F04175B	Packing (TA-4A)	2	02	0B90242A	Battery AA Type x 2 (TA-4/4E)	1
	0F04212A	Soft Sheet (TA-4/4E)	1		0B90341A	Battery AA Type x 2 (TA-4A)	1
03	0F04177A	Soft Sheet (TA-4A)	1	03	0B90320A	Feeder Antenna	1
	0F04172A	Carton Box (TA-4)	1	04	0B90319A	AM Loop Antenna Holder	1
	0F04171A	Carton Box (TA-4A)	1	05	0E03496A	Screw 3.1x10 (For Wood)	2
	0F04174A	Carton Box (TA-4E)	1			(Black Chromate)	
04	0M05281A	Serial Number Label (TA-4/4E)	2	06	0B90318A	AM Loop Antenna	1
	0M05199A	Serial Number Label (TA-4A)	2	07	0B83465A	8P DIN Cable	1
				08	0B90194A	Antenna Adapter F YAE21-0120 (TA-4/4A)	1
					0B90208A	Antenna Adapter EP FA-322 (TA-4E)	1
				—	0D04872D	Owner's Manual (English/ German/French)	1
				—	0D04836C	Warranty Card (TA-4A)	1
				—	0J05916A	Speaker Terminal Bush (TA-4E)	8

2. REMOVAL PROCEDURES

2.1. Top Cover Ass'y and Bottom Cover Ass'y

Refer to Fig. 2.1.

- (1) Loosen screws F01 (5 pcs.) and remove F02 (Top Cover Ass'y).
- (2) Loosen screws F03 (13 pcs.) and remove F04 (Bottom Cover Ass'y).
- (3) Loosen screws F05 (2 pcs.) and remove legs F06 (2 pcs.) in order to place the unit horizontally.




Fig. 2.1

2.2. Front Panel Ass'y, Remote Control Sensor P.C.B. Ass'y and Power Indicator P.C.B. Ass'y

Refer to Figs. 2.2.1 and 2.2.2.

- (1) Remove the Top Cover Ass'y and Bottom Cover Ass'y referring to item 2.1.
- (2) Loosen screws F01 (3 pcs.) and F02 (3 pcs.).
- (3) Remove F03 (Tone Volume Knob Ass'y, 2 pcs.), F04 (Selector Knob Ass'y, 2 pcs.), and F05 (Power Button). Note: F05 (Power Button) is hard to remove.
- (4) Turn F06 (Front Panel Ass'y) in the direction of the arrow.
- (5) Loosen a screw F07 and remove F08 (Remote Control Sensor P.C.B. Ass'y). Refer to Fig. 2.2.2.
- (6) Loosen a screw F09 and remove F10 (Power Indicator P.C.B. Ass'y).




Fig. 2.2.1




Fig. 2.2.2

2.3. Front Chassis Ass'y and Control Switch & Display P.C.B. Ass'y

Refer to Figs. 2.3.1 and 2.3.2.

- (1) Remove the Front Panel Ass'y referring to item 2.2.
- (2) Loosen screws F01 (4 pcs.) and remove F02 (Front Chassis Ass'y).

Note: As the pins of F02 (Front Chassis Ass'y) are inserted into the chassis, pull F02 (Front Chassis Ass'y) toward you to separate it.

- (3) Loosen screws F03 (6 pcs.), unhook Claws (2 pcs.), and remove F04 (Control Switch & Display P.C.B. Ass'y). Refer to Fig. 2.3.2.

Note: To disconnect flat cables of F04 (Control Switch & Display P.C.B. Ass'y) from Video & Logic P.C.B. Ass'y, refer to item 2.4.




Fig. 2.3.1




Fig. 2.3.2

2.4. How to Disconnect/Connect Flat Cable

Refer to Figs. 2.4.1 and 2.4.2.

- (1) To disconnect a flat cable, press down F01 (Connector Cover) strongly and remove F02 (Flat Cable). Refer to Fig. 2.4.1.
- (2) To connect a flat cable, straighten the leads of flat cable and position each lead to the grooves of connector. Refer to Fig. 2.4.2.
- (3) Press down F01 (Connector Cover) and insert F02 (Flat Cable).




Fig. 2.4.1




Fig. 2.4.2

2.5. Video & Logic P.C.B. Ass'y

Refer to Figs. 2.5.1 and 2.5.2.

- (1) Remove the Top Cover Ass'y referring to item 2.1.
- (2) Disconnect all connectors from F04 (Video & Logic P.C.B. Ass'y). Disconnect flat cables referring to item 2.4.
- (3) Loosen screw F01 (5 pcs.) and F02 (4 pcs.).
- (4) Unhook F03 using pliers.
- (5) Turn F04 (Video & Logic P.C.B. Ass'y) as shown in Fig. 2.5.2.




Fig. 2.5.1




Fig. 2.5.2

3. PARTS LOCATION FOR ELECTRICAL ADJUSTMENT




Fig. 3

4. ELECTRICAL ADJUSTMENTS

4.1. Power Amplifier Section

STEP	ITEM	SIGNAL SOURCE	OUTPUT CONNECTION	MODE	ADJUSTMENT	REMARKS
1	Idling Current	None	DC Voltmeter between both Pins of TP1 (Pins of TP2) on Main P.C.B.	Monitor Selector - CD Output Level - Min. Speaker Selector - OFF	Main P.C.B. VR251L VR251R	1. Insert shorting plugs into the CD Player Input Jacks. 2. Turn ON the power and allow 3 minutes before adjustment. (Top Cover must be installed in this period of time.) 3. Adjust VR251L (VR251R) to obtain 25 mV \pm 5 mV on the DC voltmeter.

4.2. Tuner Section

Note: Adjustment should be made in a shielded room in principle.

4.2.1. FM Tuner Section

STEP	ITEM	OUTPUT CONNECTION	MODE	ADJUSTMENT	REMARKS
1	Preliminary Step	See Fig. 4.1	Tuner Amplifier Monitor Selector - Tuner Band Selector - FM Rec.Out Selector - Tuner Signal Generator Freq. - 98 MHz RF Level - 65 dBf Modulation - See REMARKS		1. Set the Tuner Amplifier as indicated in the MODE. 2. Adjustment and confirmation should be made after tuning in to the set carrier frequency of the Signal Generator. Note: Contents of modulation 1. For U.S.A., Canada & Other (Wide) o Stereo Audio: 1 kHz, 91% Pilot: 19 kHz, 9% o Mono Audio: 1 kHz, 100% 2. For Europe & Other (Narrow) o Stereo Audio: 1 kHz, 51% Pilot: 19 kHz, 9% o Mono Audio: 1 kHz, 60%
2	Usable Sensitivity Adjustment	Distortion Meter to Tape 1 Record Output Jacks	Tuner Amplifier Same as above Signal Generator Freq. - 98 MHz RF Level - 13.5 dBf Modulation - Mono	Tuner P.C.B. Front-end IFT	1. Set the Tuner Amplifier to Manual mode by pressing the Tuning Mode button. 2. Adjust the IFT to obtain minimum distortion (total harmonic distortion (THD): 3% or less). 3. Set the frequency of the Signal Generator to 90 MHz/106 MHz and check that the THD is 3% or less.
3	Center Voltage and THD Adjustment	DC Voltmeter between both Pins of TP1 on Tuner P.C.B. and Distortion Meter to Tape 1 Record Output Jacks	Tuner Amplifier Same as above Signal Generator Freq. - 98 MHz RF Level - 65 dBf Modulation - Mono	Tuner P.C.B. L305 L306	1. Set the Tuner Amplifier to Manual mode. 2. Adjust L305 so that the reading on the DC voltmeter is 0 V \pm 20 mV. 3. Adjust L306 to obtain minimum distortion (THD: 0.07% or less). Repeat 2 and 3, if necessary.




Fig. 4.1 FM Measuring Connection

STEP	ITEM	OUTPUT CONNECTION	MODE	ADJUSTMENT	REMARKS
4	Muting Level Adjustment	Oscilloscope to Tape 1 Record Output Jacks	Tuner Amplifier Same as above Signal Generator Freq. - 98 MHz RF Level - 30 dBf Modulation - Mono	Tuner P.C.B. VR302	1. Set the Tuner Amplifier to Auto mode. 2. Rotate VR302 fully counterclockwise. Then, return it clockwise gradually until a waveform appears on the oscilloscope. 3. Decrease the RF level of the Signal Generator until the waveform on the oscilloscope disappears. Then increase the RF level gradually until a waveform appears again. At this point, check that the RF level of the Signal Generator is 30 dBf \pm 6 dB.
5	Signal Strength Meter Level Adjustment	None	Tuner Amplifier Same as above Signal Generator Freq. - 98 MHz RF Level - 56 dBf Modulation - Mono	Tuner P.C.B. VR301	1. Set the Tuner Amplifier to Auto mode. 2. Adjust VR301 so that all segments (1 - 5) of the signal strength meter light up. 3. Decrease the RF level of the Signal Generator to distinguish the segment 5. Next, increase it gradually so that the segment 5 starts illuminating. At this point, check that the RF level of the Signal Generator is 52 to 64 dBf.
6	Stereo Separation Adjustment	AC Voltmeter to Tape 1 Record Output Jacks	Tuner Amplifier Same as above Signal Generator Freq. - 98 MHz RF Level - 65 dBf Modulation - L or R only	Main P.C.B. VR452 (Rch) VR453 (Lch) VR454 (Rch) VR455 (Lch) (Other only)	For U.S.A., Canada & Europe versions: 1. Set the Tuner Amplifier to Auto mode. 2. Apply modulation to only L channel. 3. Adjust VR452 (Rch) to obtain minimum reading on the AC voltmeter at the R channel output jack. 4. Apply modulation to only R channel. 5. Adjust VR453 (Lch) to obtain minimum reading on the AC voltmeter at the L channel output jack. For Other version: 1. Set the switches on the rear panel as follows: Freq. Step FM/AM - 100 kHz/10 kHz IF Band - Wide 2. Apply the same procedures as above. 3. Set the switches as follows: Freq. step FM/AM - 50 kHz/9 kHz IF Band - Narrow 4. Apply the same procedures as mentioned above. Adjust VR454 (Rch) and VR455 (Lch) instead of VR452 and VR453.
7	Stereo THD Adjustment	Distortion Meter to Tape 1 Record Output Jacks	Tuner Amplifier Same as above Signal Generator Freq. - 98 MHz RF Level - 65 dBf Modulation - Stereo	Tuner P.C.B. VC307 VC355 (Other Only)	1. Set the Tuner Amplifier to Auto mode. 2. Apply 1 kHz (L = -R) signal. 3. Adjust VC307 to obtain minimum distortion. 4. For Other version (Narrow) only, adjust VC355 to obtain minimum distortion.

4.2.2. AM Tuner Section

Note: Frequencies for Europe & Other (Narrow) are indicated in parentheses.

STEP	ITEM	OUTPUT CONNECTION	MODE	ADJUSTMENT	REMARKS
1	Tuning Level Adjustment	DC Voltmeter between both Pins of TP2 on Tuner P.C.B.	Tuner Amplifier Monitor Selector - Tuner Band Selector - AM Rec.Out Selector - Tuner Signal Generator Freq. - 520 (522) kHz/ 1710 (1611) kHz Modulation - 400 Hz 30%	Tuner P.C.B. L402 VC402	1. Set the frequency of the Signal Generator to 520 kHz (522 kHz) and make tuning. 2. Adjust L402 to obtain 1.4 V \pm 0.02 V on the DC voltmeter. 3. Change the frequency to 1710 kHz (1611 kHz) and make tuning. 4. Adjust VC402 to obtain 22 V \pm 0.2 V on on DC voltmeter. 5. Repeat 1 through 4 once.
2	Tracking and IF Adjustment	AC Voltmeter to Tape 1 Record Output Jacks	Tuner Amplifier Same as above Signal Generator Freq. - 600 (603) kHz/ 1400 (1404) kHz RF Level - 82 dB μ Modulation - 400 Hz 30%	Tuner P.C.B. L401 L403 L404 VC406	1. Set the measurement instruments as shown in Fig. 4.2. Set the distance between the AM Loop Antenna of the TA-4/4A/4E and a test loop to 60 cm. To obtain 56 dB μ /m at the AM Loop Antenna, set the RF level output of the AM Signal Generator to 82 dB μ as loss is 26 dB in this setting. 2. Set the frequency of the Signal Generator to 600 kHz (603 kHz) and make tuning. 3. Adjust L401 to obtain maximum reading on the AC voltmeter. 4. Adjust L403 to obtain maximum reading on the AC voltmeter. 5. Adjust L404 to obtain maximum reading on the AC voltmeter. 6. Set the frequency to 1400 kHz (1404 kHz) and make tuning. 7. Adjust VC406 to obtain maximum reading on the AC voltmeter. 8. Repeat 2 through 7 once.
3	Signal Strength Meter Level Adjustment	None	Tuner Amplifier Same as above Signal Generator Freq. - 1000 (999) kHz RF Level - 106 dB μ Modulation - 400 Hz 30%	Tuner P.C.B. VR401	1. With the same setting as in Step 2, set the RF level output of the AM Signal Generator to 106 dB μ in order to obtain 80 dB μ /m at the AM Loop Antenna. 2. Adjust VR401 so that the segment 5 of the signal strength meter starts illuminating. Note: Before adjustment, select AM mode and wait for more than three minutes.




Fig. 4.2

5. MECHANISM ASS'Y AND PARTS LIST

5.1. Synthesis




Fig. 5.1

Schematic Ref. No.	Part No.	Description	Q'ty
5.1. Synthesis			
		Synthesis	
01	0H05357A	Top Cover	1
02	0J05626A	Bottom Cover	1
03	0H05340A	Power Button	1
04	HA05450A	Selector Knob Ass'y	2
05	HA05451A	Tone Volume Knob Ass'y	3
06	—	Front Panel Ass'y	1
07	0J05633A	Top Cover Cushion	6
08	BA07297A	Remote Control Sensor P.C.B. Ass'y	1
09	BA07298A	Power Indicator P.C.B. Ass'y	1
10	—	Front Chassis Ass'y	1
11	BA07363A	Control Switch & Display P.C.B. Ass'y (TA-4/4E)	1
	BA07294A	Control Switch & Display P.C.B. Ass'y (TA-4A)	1
12	HA05465A	Master Volume Ass'y	1
13	BA07320A	Volume Indicator P.C.B. Ass'y	1
14	0H05356A	Volume Indicator P.C.B. Holder	1
15	HA05466A	Balance Knob Ass'y	1
16	—	Chassis Ass'y	1
17	0J05420A	Leg N	4
18	0J05461A	Leg Felt N	4
19	0J05407A	Top Cover Sheet R	3
20	0B90342A	U-Shape Pin 14	2
21	0B90019A	Insu-Lock	42
22	0M05201B	Fuse Caution Label A (TA-4A)	1
23	0M05202A	Fuse Caution Label B (TA-4A)	1
24	0M04377B	Caution Label (TA-4A)	2
25	0M05148A	Production Date Label (TA-4A)	1
26	0M04113A	LA Label (TA-4 (U.S.A.))	1
27	0M04430A	Pass Label (TA-4/4E)	1
	0M05171A	Pass Label (TA-4A)	1
28	0M05281A	Serial Number Label (TA-4/4E)	1
	0M05199A	Serial Number Label (TA-4A)	1
29	0J05706A	Side Rubber	2
L01	0E03433A	BT3x6 @ Binding Projected (Black Chromate)	11
L02	0E00857A	BT3x6 @ Binding	17
L03	0E00921A	BT3x8 @ Binding (Black Chromate)	2
L04	0E00888A	BT3x12 @ Binding	4
L05	0E00846A	BT3x8 @ Pan	6
5.2. Front Panel Ass'y (A01)			
A01	—	Front Panel Ass'y	1
01	0H05331A	Front Panel (TA-4)	1
	0H05329B	Front Panel (TA-4A)	1
	0H05330A	Front Panel (TA-4E)	1
02	0H05103A	LED Lens B	2
03	0H05363C	Remote Control Lens	1
04	0J05636A	Diffuser Sheet C	1
05	0H05334A	Front Escutcheon L	1
06	0J05750A	Push Knob Spring	1
07	0H05341A	Push Button	1
08	0H05333A	Front Escutcheon R	1
5.3. Front Chassis Ass'y (A02)			
A02	—	Front Chassis Ass'y	1
01	HA05478A	Video-2 Button Ass'y	1
02	HA05479A	Tape-1 Button Ass'y	1
03	HA05480A	Tape-2 Button Ass'y	1
04	HA05481A	Tape-3 Button Ass'y	1
05	HA05490A	Phono Button Ass'y	1
06	HA05491A	CD Button Ass'y	1
07	HA05492A	Tuner Button Ass'y	1
08	HA05477A	Video-1 Button Ass'y	1
09	0H05346B	Function Plate	1
10	0H05343A	Preset Lens A	11
11	0H05335A	Front Mold	1
12	0J05633A	Top Cover Cushion	1
13	0H05344A	Display Lens	1
14	0H05338A	Preset Knob A	12
15	0H05339A	Preset Knob B	4
16	0J05750A	Push Spring	2
17	0H05341A	Push Button	2
18	0H05342A	Muting Knob	1

5.2. Front Panel Ass'y (A01)




Fig. 5.2

5.3. Front Chassis Ass'y (A02)




Fig. 5.3

5.4. Chassis Ass'y (A03)




Fig. 5.4

Schematic Ref. No.	Part No.	Description	Q'ty	Schematic Ref. No.	Part No.	Description	Q'ty
5.4. Chassis Ass'y (A03)				L07	OE03138A	M3x10 @ Binding	3
A03	—	Chassis Ass'y	1	L08	OE00510A	M3x8 @ Pan (2A)	4
01	BA07364A	Standby P.C.B. Ass'y (TA-4)	1	L09	—	Nut	2
	BA07287A	Standby P.C.B. Ass'y (TA-4A)	1	L10	—	Nut	2
	BA07365A	Standby P.C.B. Ass'y (TA-4E)	1	L11	—	Nut	2
02	BA07284A	Power Supply P.C.B. Ass'y	1	L12	OJ05673A	Nut 70	1
03	OB50118A	Power Transformer 110V—240V (TA-4)	1	L13	OJ05427A	Mounting Plate	1
	OB50117A	Power Transformer (TA-4A)	1	L14	OE00986A	M3x10 @ Binding (TA-4)	2
	OB50119A	Power Transformer 220V—240V (TA-4E)	1	L15	OE03176A	Nut Hex. M3 (TA-4)	2
04	OJ05307A	BS Damper	5	L16	OE03202A	M2.6x3 @ Binding (Black Chromate) (TA-4)	4
05	OJ05617B	Power Supply Chassis	1	—	OE00174A	Earth Lug B-4 (TA-4E)	1
06	BA07360A	Video & Logic P.C.B. Ass'y (TA-4)	1				
	BA07296A	Video & Logic P.C.B. Ass'y (TA-4A)	1				
	BA07361A	Video & Logic P.C.B. Ass'y (TA-4E)	1				
07	OJ05637A	P.C.B. Spacer	1				
08	OJ05620B	Shield Plate	2				
09	OJ05622B	Heat Sink Holder A	2				
10	OB81706A	AC Outlet 3P (TA-4/4A)	1				
	OB81987A	AC Outlet S-16536 (TA-4E)	1				
11	OH05361A	Rear Panel (TA-4)	1				
	OH05358A	Rear Panel (TA-4A)	1				
	OH05359B	Rear Panel (TA-4E)	1				
12	OB60602A	AC Outlet P.C.B. (TA-4/4A)	1				
13	OJ05621A	DIN Jack Holder	1				
14	BA07323A	Remote Jack P.C.B. Ass'y	1				
15	BA07285A	Speaker Terminal P.C.B. Ass'y (TA-4/4A)	1				
	BA07555A	Speaker Terminal P.C.B. Ass'y (TA-4E)	1				
16	OB90280A	Cord Bushing (TA-4/4A)	1				
	OB90367A	Cord Bushing (TA-4E)	1				
17	OB80199A	AC Power Cord SPT-2 (TA-4/4A)	1				
	OB80124A	AC Power Cord (TA-4E)	1				
18	OJ05665A	Free-up Belt	1				
19	JA04383A	GND Terminal Ass'y	1				
20	OB90316A	AM Antenna Holder	1				
21	BA07283A	Power Switch P.C.B. Ass'y (TA-4/4A)	1				
	BA07553A	Power Switch P.C.B. Ass'y (TA-4E)	1				
22	BA07291A	Headphone Jack P.C.B. Ass'y	1				
23	OJ05619B	Front Chassis	1				
24	—	Heat Sink Ass'y	1				
25	BA07288A	Tone Control P.C.B. Ass'y (TA-4/4A)	1				
	BA07554A	Tone Control P.C.B. Ass'y (TA-4E)	1				
26	BA07286A	Selector P.C.B. Ass'y	1				
27	OJ05702A	Snap Bushing	1				
28	OJ05692A	Transistor Silicon Rubber B	2				
29	BA07331A	Transistor Joint P.C.B. Ass'y	1				
30	BA07290A	Pin Jack P.C.B. Ass'y	1				
31	BA07540A	Main P.C.B. Ass'y (TA-4)	1				
	BA07282A	Main P.C.B. Ass'y (TA-4A)	1				
	BA07541A	Main P.C.B. Ass'y (TA-4E)	1				
32	BA07289A	Volume Motor P.C.B. Ass'y	1				
33	BA07293A	Volume P.C.B. Ass'y	1				
34	OJ05632B	Volume Holder	1				
35	BA07357A	Tuner P.C.B. Ass'y (TA-4)	1				
	BA07295A	Tuner P.C.B. Ass'y (TA-4A)	1				
	BA07358A	Tuner P.C.B. Ass'y (TA-4E)	1				
36	OJ05631A	Tuner P.C.B. Holder	1				
37	OJ05618B	Side Chassis	1				
38	OM05210A	Amp. No. Seal (TA-4A)	1				
39	OB90369A	Transistor Bushing	1				
40	OB50115A	Sub Transformer 100V—240V (TA-4)	1				
	OB50114A	Sub Transformer (TA-4A)	1				
	OB50116A	Sub Transformer (TA-4E)	1				
41	OB70080A	Voltage Selector (TA-4)	1				
42	BA07543A	IF Band Switch P.C.B. Ass'y (TA-4)	1				
43	OB90241A	Lithium Battery	1				
L01	OE00857A	BT3x6 @ Binding	34				
L02	OE03494A	M5x10 @ Pan (2A)	4				
L03	OE03432A	BT3x6 @ Tapping (Black Chromate)	8				
L04	OE00921A	BT3x8 @ Binding (Black Chromate)	26				
L05	OE00818A	M3x8 @ Binding (Black Chromate)	2				
L06	OE03433A	BT3x6 @ Pan Projected (Black Chromate)	2				

5.5. Heat Sink Ass'y (B01)




Fig. 5.5

Schematic Ref. No.	Part No.	Description	Q'ty
5.5. Heat Sink Ass'y (B01)			
B01	—	Heat Sink Ass'y	1
01	0J05630A	Joint Holder	1
02	0J05616A	Heat Sink	1
03	0J05627A	Heat Sink R	1
04	0J05623A	Heat Sink Holder B	2
05	0J05700A	Transistor Silicon Rubber	2
06	0B10258A	Transistor 2SA1667 (O,Y) (Pair) [Q260L,R]	2
07	0B10250A	Transistor 2SC3856 (O,Y) (Pair) [Q264L,R]	2
08	0B10250A	Transistor 2SC3856 (O,Y) (Pair) [Q263L,R]	2
09	0B06316A	Transistor 2SD882 (R,S) (Pair) [Q258L,R]	2
10	0B10251A	Transistor 2SA1492 (O,Y) (Pair) [Q262L,R]	2
11	0B10251A	Transistor 2SA1492 (O,Y) (Pair) [Q261L,R]	2
12	0B10259A	Transistor 2SC4381 (O,Y) (Pair) [Q259L,R]	2
L01	0E03495A	BT3x10 @ Countersunk (Black Chromate)	2
L02	0E00921A	BT3x8 @ Binding (Black Chromate)	4
L03	0E03138A	M3x10 @ Binding	14
L04	0E00818A	M3x8 @ Binding	2
—	0B19011A	Thermistor [TH250]	1

6. MOUNTING DIAGRAMS AND PARTS LIST

Notes: 1. Mounting diagram shows a dip side view of the printed circuit board.

2. Diode is 1SS53, 1S1555, or 1SS176 unless otherwise specified.

3. Following transistors are interchangeable with each other.

a. 2SA733, 2SA608SP, 2SA1048, 2SA1175

b. 2SC945, 2SC536SP, 2SC2458, 2SC2785

4. Abbreviation for part name:

TR – Transistor, SiD – Silicon Diode, ZD – Zener Diode, Varicap – Variable Capacitance Diode

RK — Carbon Resistor, RM — Metal Film Resistor, RF — Fail Safe Type Resistor

CE — Electrolytic Capacitor, CML — Mylar Capacitor, CC — Ceramic Capacitor, CPP — PP Capacitor,

CMM — Metalized Mylar Capacitor, CSP — Polystyrene Capacitor, C — Mica Capacitor

6.1. Power Switch P.C.B. Ass'y





Fig. 6.1

6.2. Speaker Terminal P.C.B. Ass'y



** : TA-4E

Fig. 6.2

6.3. Pin Jack P.C.B. Ass'y




Fig. 6.3

6.4. Headphone Jack P.C.B. Ass'y




Fig. 6.4

6.5. Power Indicator P.C.B. Ass'y




Fig. 6.5

Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description
6.1. Power Switch P.C.B. Ass'y			6.3. Pin Jack P.C.B. Ass'y		
R901 S901 M901	BA07283A BA07553A	Power Switch P.C.B. Ass'y (TA-4/4A) Power Switch P.C.B. Ass'y (TA-4E)	R156L,R PJ107 CN19	BA07290A	Pin Jack P.C.B. Ass'y
	OB60593A OB20057A	Power Switch P.C.B. RK 4.7M 1/2W J (TA-4A)		OB60600A OB09653A OB81949A OB81968A	Pin Jack P.C.B. RK 100 1/6W J 6P Pin Jack 3P-T Post EH-3PREDB3B
	OB71008A	Power Switch SDDL A1007U CC 4700P		6.4. Headphone Jack P.C.B. Ass'y	
	OB41829A OJ05670A	Earth Plate (TA-4/4A) (1)		BA07291A	Headphone Jack P.C.B. Ass'y
6.2. Speaker Terminal P.C.B. Ass'y			PJ250 CN10	OB60601A	Headphone Jack P.C.B.
R244L,R R285L,R C257L,R C258L,R C267L,R C268L,R C269L,R CN13	BA07285A	Speaker Terminal P.C.B. Ass'y (TA-4/4A)		OB81757A OB83406B	Headphone Jack 3P Connector 350mm
	BA07555A	Speaker Terminal P.C.B. Ass'y (TA-4E)		6.5. Power Indicator P.C.B. Ass'y	
	OB60595A	Speaker Terminal P.C.B.		BA07298A	Power Indicator P.C.B. Ass'y
	OB24199A	RF 22 1W J	ED601 CN21	OB60608A	Power Indicator P.C.B.
	OB24199A	RF 22 1W J		OB12421A	LED SPR-56PDWF GRN/RED
	OB01609A	CML 0.01μ 50V K		OB83409A	2P Connector Ass'y
	OB01609A	CML 0.01μ 50V K			
	OB09290A	CC 0.01μ 50V Z (TA-4E)			
	OB09290A	CC 0.01μ 50V Z (TA-4E)			
	OB09290A	CC 0.01μ 50V Z (TA-4E)			
	OB83420B	6P Connector 350mm			
	OB81950A	Speaker Terminal 8P (1)			

6.6. Volume Indicator P.C.B. Ass'y




Fig. 6.6

6.7. Volume Motor P.C.B. Ass'y




Fig. 6.7

6.8. Transistor Joint P.C.B. Ass'y




Fig. 6.8

6.9. Remote Control Sensor P.C.B. Ass'y




Fig. 6.9

6.10. IF Band Switch P.C.B. Ass'y




Fig. 6.10

6.11. Selector P.C.B. Ass'y





Fig. 6.11

Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description
6.6. Volume Indicator P.C.B. Ass'y			6.9. Remote Control Sensor P.C.B. Ass'y			6.11. Selector P.C.B. Ass'y		
ED639	BA07320A	Volume Indicator P.C.B. Ass'y	U604 ED602	BA07297A	Remote Control Sensor P.C.B. Ass'y	R195,196 C172,173 S105	BA07286A	Selector P.C.B. Ass'y
	OB60611A	Volume Indicator P.C.B.		OB60607A	Remote Control Sensor P.C.B.		OB60596A	Selector P.C.B.
	OB12395A	LED SLR-34PC3F P-GRN		OB11511A	IC BX1407		OB09653A	RK 100 1/6W J
6.7. Volume Motor P.C.B. Ass'y			R629 CN27	OB12395A	LED SLR-34PC3F P-Green	S106 CN1 CN7	OB41917A	CC 0.1μ 25V Z
C174 CN14	BA07289A	Volume Motor P.C.B. Ass'y		OB09662A	RK 240 1/6W J		OB70134A	Rotary Switch SRRM 2-5
	OB60599A	Volume Motor P.C.B.		OB83410A	4P Connector Ass'y 400mm		OB70135A	Rotary Switch SRRM 1-9
6.8. Transistor Joint P.C.B. Ass'y			6.10. IF Band Switch P.C.B. Ass'y				OB83425B	8P Connector Ass'y 350mm
U951 Q952 CN40,41	BA07331A	Transistor Joint P.C.B. Ass'y	S626,627 CN32 CN33 CN34	BA07543A	IF Band Switch P.C.B. Ass'y (TA-4)		OB83413B	5P Connector Ass'y 300mm
	OB60613A	Transistor Joint P.C.B.		OB60609B	IF Band Switch P.C.B.			
	OB11526A	IC NJM78M12		OB70137A	Slide Switch			
	OB06452A	TR 2SD1406 (Y)		OB83429B	C.Cable Ass'y 3P			
	OB83437A	Flat Wire 3P		OB83428B	C.Cable Ass'y 3P			
				OB83430B	C.Cable Ass'y 2P			

6.13. Volume P.C.B. Ass'y



6.14. Power Supply P.C.B. Ass'y




Fig. 6.14

Schematic Ref. No.	Part No.	Description
6.12. Remote Jack P.C.B. Ass'y		
	BA07323A	Remote Jack P.C.B. Ass'y
Q550,551	OB60614A	Remote Jack P.C.B.
D522,523	OB10113A	TR 2SC1815 (GR)
R589	OB06398A	SiD 1SS176
R599	OB09637A	RK 22 1/6W J
R600	OB09637A	RK 22 1/6W J
R688	OB09677A	RK 1K 1/6W J
R690,691	OB09677A	RK 1K 1/6W J
R692	OB09717A	RK 47K 1/6W J
R695	OB09637A	RK 22 1/6W J
R699	OB09709A	RK 22K 1/6W J
PJ501,502	OB09637A	RK 22 1/6W J
PJ503	OB81754A	8P Din Socket
PJ504	OB81952A	2P Mini Jack
PJ505	OB81953A	6P Din Socket
	OB81952A	2P Mini Jack
	OJ05621A	Remote Jack Holder (1)
6.13. Volume P.C.B. Ass'y		
	BA07293A	Volume P.C.B. Ass'y
VR101	OB60603A	Volume P.C.B.
VR102	OB30091A	VR 300K
	OB30092A	Volume
R133L,R	OB09709A	250KMN+50KB
R134L,R	OB09699A	RK 22K 1/6W J
R135L,R	OB09707A	RK 8.2K 1/6W J
C118L,R	OB09707A	RK 18K 1/6W J
C119L,R	OB41274A	CML 1000P 50V J
C120L,R	OB41290A	CML 0.022μ 50V J
C121L,R	OB41298A	CML 0.1μ 50V J
CN17	OB41702A	CSP 22 50V J
CN18	OB83422B	3P Connector 400mm
CN39	OB81760A	3P-T Post EH-3P
	OB83424A	WHT Cable Ass'y 2P
6.14. Power Supply P.C.B. Ass'y		
	BA07284A	Power Supply P.C.B. Ass'y
D901	OB60594B	Power Supply P.C.B.
D902	OB12617A	SiD KBU8D
R902	OB12586A	SiD 1N4002
C901,902	OB09711A	RK 27K 1/6W J
C903	OB41537A	CML 0.1μ 100V J
C904,905	OB40126A	CE 4.7μ 63V
CN8	OB40511A	CE 1200μ 71V
	OB83407B	3P Connector Ass'y 350mm
CN11	OB83418B	2P Connector Ass'y 400mm
CN12	OB83419B	2P Connector Ass'y 500mm
	OJ05625B	Heat Sink (1)
	OJ05701A	Transister
		Silicon Rubber D (1)

6.15. Standby P.C.B. Ass'y




Fig. 6.15

6.16. Tone Control P.C.B. Ass'y




Fig. 6.16

Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description
6.15. Standby P.C.B. Ass'y			6.16. Tone Control P.C.B. Ass'y		
	BA07364A	Standby P.C.B. Ass'y (TA-4)		BA07288A	Tone Control P.C.B. Ass'y (TA-4/4A)
	BA07287A	Standby P.C.B. Ass'y (TA-4A)		BA07554A	Tone Control P.C.B. Ass'y (TA-4E)
	BA07365A	Standby P.C.B. Ass'y (TA-4E)			
Q901	OB60597A	Standby P.C.B.	U105	OB60598A	Tone Control P.C.B.
	OB06066A	TR 2SD471 (L,M)	Q105L,R	OB11512A	IC NJM5532SD
		(TA-4)	Q106L,R	OB06299A	TR 2SC2878
	OB06100A	TR 2SC945 (K,P,Q)	Q160	OB06299A	TR 2SC2878
Q902	OB06452A	(TA-4A/4E)	Q161	OB06142A	TR 2SC2240 (BL)
		TR 2SD1406	Q162	OB06013A	TR 2SA733 (P,Q)
		(TA-4/4E)	Q163	OB06100A	TR 2SC945 (K,P,Q)
	OB06066A	TR 2SD471 (L,M)	Q164	OB10050A	TR 2SA970 (BL)
		(TA-4A)	Q165	OB10053A	TR DTA144ES
Q903	OB06100A	TR 2SC945 (K,P,Q)	Q166	OB10062A	TR DTC144ES
Q904	OB06322A	TR 2SC2002 (K,L)	Q167	OB10062A	TR DTC144ES
ZD901	OB12619A	ZD 6.8V	ZD161,162	OB10053A	TR DTA144ES
		RD6.8ES-T1B2		OB12177A	ZD 13V
ZD902	OB12623A	ZD 11V	D161,162		RD13JS-T1B2
		RD11ES-T1B2	D163,164	OB06398A	SiD 1SS176
		SiD 1SS176	D165	OB06398A	SiD 1SS176
D903	OB06398A	SiD W02M	VR103	OB06398A	SiD 1SS176
D904	OB12604A	SiD 1SS176	VR104	OB30093A	Volume 50KCx2
D905,906	OB06398A	SiD 1SS177	R136L,R	OB30094A	Volume 100KCx2
D907,908	OB12624A	(TA-4)	R137L,R	OB09727A	RK 120K 1/6W J
		SiD 1SS176	R139L,R	OB25099A	RM 100 1/4W F
		(TA-4A/4E)	R140L,R	OB09717A	RK 47K 1/6W J
R903	OB24200A	RF 56 1W J	R141L,R	OB09725A	RK 100K 1/6W J
R904,905	OB09677A	RK 1K 1/6W J	R142L,R	OB09749A	RK 1M 1/6W J
R906,907	OB09669A	RK 470 1/6W J	R143L,R	OB22570A	RM 12.0K 1/4W F
R908	OB09677A	RK 1K 1/6W J	R144L,R	OB22570A	RM 12.0K 1/4W F
R909	OB09709A	RK 22K 1/6W J	R145L,R	OB25195A	RM 1.00K 1/4W F
R910	OB09629A	RK 10K 1/6W J	R146L,R	OB09703A	RK 12K 1/6W J
R932,933	OB09677A	RK 1K 1/6W J	R147L,R	OB09705A	RK 15K 1/6W J
C906	OB40121A	CE 220μ 50V	R148L,R	OB09669A	RK 470 1/6W J
		(TA-4)	R149L,R	OB09684A	RK 2K 1/6W J
		CE 220μ 16V	R150L,R	OB09687A	RK 2.7K 1/6W J
	OB40079A	(TA-4A/4E)	R151L,R	OB09673A	RK 680 1/6W J
		CE 10μ 50V	R152L,R	OB09725A	RK 100K 1/6W J
C907	OB40116A	(TA-4)	R153L,R	OB25195A	RM 1.00K 1/4W F
		CE 10μ 16V	R154L,R	OB09653A	RK 100 1/6W J
	OB01412A	(TA-4A/4E)	R155L,R	OB09717A	RK 47K 1/6W J
C908	OB40119A	CE 47μ 50V	R160	OB09723A	RK 82K 1/6W J
		(TA-4)	R161,162	OB09685A	RK 2.2K 1/6W J
		CE 47μ 16V	R163	OB09695A	RK 5.6K 1/6W J
	OB01403A	(TA-4A/4E)	R164	OB09685A	RK 2.2K 1/6W J
		CE 47μ 10V	R173	OB09725A	RK 100K 1/6W J
C909	OB01836A	CE 470μ 50V	R186	OB09731A	RK 180K 1/6W J
C910	OB40335A	(TA-4)	R198,199	OB09725A	RK 100K 1/6W J
		CE 470μ 16V	C122L,R	OB09645A	RK 47 1/6W J
	OB40081A	(TA-4A/4E)	C123L,R	OB40612A	CE 0.33μ 50V (LN)
		CML 0.1μ 50V K	C124L,R	OB41788A	CSP 220P 50V J
C911,912	OB01603A	Relay 12V	C125L,R	OB09933A	CE 2.2μ 50V (LN)
RY901	OB90332A	12MB-NR-UL,TV-8	C126L,R	OB41922A	CSP 47P 50V J
		(TA-4/4A)	C127L,R	OB09933A	CE 2.2μ 50V (LN)
		Relay 12V	C128L,R	OB41296A	CML 0.068μ 50V J
	OB90334A	12MB-VD3 TV-5	C129L,R	OB41305A	CML 0.39μ 50V J
		(TA-4E)	C130L,R	OB09189A	CML 2700P 50V J
F901	OB90354A	Fuse 6A 125V	C132L,R	OB05832A	CML 0.018μ 50V J
		(TA-4/4A)		OB41735A	CC 100P 50V J
	OB90356A	Fuse T3.15A 250V	C160,161		(TA-4E)
		(TA-4E)	C162	OB41298A	CML 0.1μ 50V J
F902	OB90335A	Fuse 0.5A 250V	C163,164	OB01400A	CE 100μ 16V
		(TA-4/4A)	C175	OB01603A	CML 0.1μ 50V K
	OB90288A	Fuse T500mA 250V	S102,103	OB01405A	CE 1μ 50V
		(TA-4E)		OB70132A	Push Switch
CN16	OB83414B	5P Connector Ass'y	S104		SPUN2-2
		400mm		OB70133A	Push Switch
M902	OB41829A	CC 4700P 100V Z	CN4		SPUN4-2
	OE00510A	M3x8 @ Pan (2A)		OB83408B	3P Connector Ass'y
		(TA-4)	CN5		450mm
	OJ05670A	Earth Plate (1)	CN6	OB83415B	7P Connector Ass'y
	OJ05846A	Heat Sink (1)	CN18	OB83404B	330mm
	OB80204A	Terminal Pin (K) (4)	CN19	OB83421B	2P Connector Ass'y
		(TA-4)	CN20	OB83423B	350mm
	OB81930A	Fuse Holder			3P Connector Ass'y
		SN-5051			250mm
		(TA-4/4A)			3P Connector Ass'y
	OB81848A	Fuse Holder			400mm
		Z-N1152			2P Connector Ass'y
		(TA-4E)			270mm
	OM03936B	Fuse Label T3.15A			
		250V (TA-4E)			
	OM04096C	Fuse Label T500mA			
		250V (TA-4E)			

6.17. Control Switch & Display P.C.B. Ass'y




Fig. 6.17

Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description
6.17. Control Switch & Display P.C.B. Ass'y			R636,637	OB09655A	RK 120 1/6W J
	BA07363A	Control Switch & Display P.C.B. Ass'y (TA-4/4E)	R638	OB09655A	RK 120 1/6W J
	BA07294A	Control Switch & Display P.C.B. Ass'y (TA-4A)	R639,640	OB09717A	RK 47K 1/6W J
	OB60604B	Control Switch & Display P.C.B.	R641	OB09717A	RK 47K 1/6W J
U601	OB11244A	IC LB1413N	R642	OB09701A	RK 10K 1/6W J
U602	OB11523A	IC TD6301AN	R643,644	OB09693A	RK 4.7K 1/6W J
Q601,602	OB10257A	TR 2SC2021 (S)	R645	OB09693A	RK 4.7K 1/6W J
Q603,604	OB10257A	TR 2SC2021 (S)	R646,647	OB09662A	RK 240 1/6W J
Q605,606	OB10257A	TR 2SC2021 (S)	R648,649	OB09662A	RK 240 1/6W J
Q607,608	OB10257A	TR 2SC2021 (S)	R650,651	OB09662A	RK 240 1/6W J
Q609,610	OB10257A	TR 2SC2021 (S)	R652,653	OB09662A	RK 240 1/6W J
Q611,612	OB10257A	TR 2SC2021 (S)	R654,655	OB09662A	RK 240 1/6W J
Q613,614	OB10257A	TR 2SC2021 (S)	R656,657	OB09662A	RK 240 1/6W J
Q615,616	OB10256A	TR 2SA937 (R)	R658,659	OB09662A	RK 240 1/6W J
Q617,618	OB10257A	TR 2SC2021 (S) (TA-4/4E)	R660,661	OB09662A	RK 240 1/6W J
Q619,620	OB10257A	TR 2SC2021 (S) (TA-4/4E)	R662,663	OB09662A	RK 240 1/6W J
D637	OB06398A	SID 1SS176	R664,665	OB09662A	RK 240 1/6W J
D638	OB06398A	SID 1SS176 (TA-4/4E)	R666	OB09662A	RK 240 1/6W J
D639	OB06398A	SID 1SS176	R667	OB09655A	RK 120 1/6W J
ED605,606	OB12395A	LED SLR-34PC3F P-Green	R668	OB09679A	RK 1.2K 1/6W J
ED607,608	OB12395A	LED SLR-34PC3F P-Green	R669,670	OB09668A	RK 430 1/6W J
ED609,610	OB12395A	LED SLR-34PC3F P-Green	R671,672	OB09655A	RK 120 1/6W J
ED611,612	OB12395A	LED SLR-34PC3F P-Green	R673	OB09662A	RK 240 1/6W J
ED613,614	OB12395A	LED SLR-34PC3F P-Green	R674	OB09655A	RK 120 1/6W J
ED615,616	OB12395A	LED SLR-34PC3F P-Green	R675,676	OB09659A	RK 180 1/6W J
ED617,618	OB12395A	LED SLR-34PC3F P-Green	C601,602	OB40162A	CE 10μ 16V
ED619,620	OB12395A	LED SLR-34PC3F P-Green	C603	OB41787A	CC 0.022μ 25V Z
ED621,622	OB12395A	LED SLR-34PC3F P-Green	C604,605	OB41911A	CC 470P 50V J
ED623,624	OB12395A	LED SLR-34PC3F P-Green	S601,602	OB70043A	Tact Switch SKHHPM
ED625,626	OB12625A	LED SLR-34PG3F P-Green	S603,604	OB70043A	Tact Switch SKHHPM
ED627,628	OB12625A	LED SLR-34PG3F P-Green	S605,606	OB70043A	Tact Switch SKHHPM
ED629,630	OB12625A	LED SLR-34PG3F P-Green	S607,608	OB70043A	Tact Switch SKHHPM
ED631,632	OB12625A	LED SLR-34PG3F P-Green	S609,610	OB70043A	Tact Switch SKHHPM
ED633,634	OB12625A	LED SLR-34PG3F P-Green	S611,612	OB70043A	Tact Switch SKHHPM
ED635	OB12625A	LED SLR-34PG3F P-Green	S613,614	OB70043A	Tact Switch SKHHPM
ED636	OB12616A	LED Display LTF2501 (TA-4/4E)	S615,616	OB70043A	Tact Switch SKHHPM
	OB12608A	LED Display LTF2401 (TA-4A)	S617,618	OB70043A	Tact Switch SKHHPM
ED637,638	OB12625A	LED SLR-34PG3F P-Green	S619,620	OB70043A	Tact Switch SKHHPM
R606	OB09707A	RK 18K 1/6W J	S621,622	OB70043A	Tact Switch SKHHPM
R607	OB09662A	RK 240 1/6W J	S623,624	OB70043A	Tact Switch SKHHPM
R608,609	OB09681A	RK 1.5K 1/6W J	S625	OB70043A	Tact Switch SKHHPM
R610,611	OB09681A	RK 1.5K 1/6W J	CN22	OB83402B	2P Connector Ass'y 250mm
R612,613	OB09681A	RK 1.5K 1/6W J	CN23	OB83380A	8P Flat Cable 230mm
R614,615	OB09681A	RK 1.5K 1/6W J	CN24	OB83376A	4P Flat Cable 170mm
R616	OB09662A	RK 240 1/6W J	CN25,26	OB83378A	8P Flat Cable 170mm
R617,618	OB09707A	RK 18K 1/6W J	CN28	OB83405B	2P Connector Ass'y 450mm
R619,620	OB09707A	RK 18K 1/6W J	CN29	OB83377A	5P Flat Cable 170mm
R621,622	OB09707A	RK 18K 1/6W J	CN30	OB83379A	8P Flat Cable 190mm
R623,624	OB09707A	RK 18K 1/6W J		OH05336A	Display Reflector (1)
R625,626	OB09707A	RK 18K 1/6W J		OH05345A	Display Overlay (1)
R627	OB09707A	RK 18K 1/6W J		OJ05634A	Diffuser Sheet A (1)
R628	OB09662A	RK 240 1/6W J		OJ05635B	Diffuser Sheet B (1)
R630	OB09717A	RK 47K 1/6W J		OJ05416A	LED Reflector (8)
R631	OB09677A	RK 1K 1/6W J			
R632	OB09701A	RK 10K 1/6W J			
R633	OB09677A	RK 1K 1/6W J			
R634,635	OB09701A	RK 10K 1/6W J			

6.18. Tuner P.C.B. Ass'y




Fig. 6.18

Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description
6.18. Tuner P.C.B. Ass'y			R310	OB09686A	RK 2.4K 1/6W J	C301	OB41787A	CC 0.022μ 25V Z
	BA07357A	Tuner P.C.B. Ass'y (TA-4)	R312	OB09645A	RK 47 1/6W J	C302	OB41294A	CML 0.047μ 50V J
	BA07295A	Tuner P.C.B. Ass'y (TA-4A)	R313	OB09667A	RK 390 1/6W J	C303	OB41290A	CML 0.022μ 50V J
	BA07358A	Tuner P.C.B. Ass'y (TA-4E)	R314	OB09689A	RK 3.3K 1/6W J (TA-4)	C304	OB40420A	CE 220μ 16V (LN)
	OB60605A	Tuner P.C.B.	R315,316	OB09667A	RK 390 1/6W J	C305,306	OB41787A	CC 0.022μ 25V Z
U301	OB11156A	IC TA7060AP	R317	OB09665A	RK 330 1/6W J	C308,309	OB41787A	CC 0.022μ 25V Z
U302	OB11157A	IC LA1235	R318	OB09677A	RK 1K 1/6W J	C310,311	OB41787A	CC 0.022μ 25V Z
U303	OB06219A	IC μPD4081BC	R319	OB09701A	RK 10K 1/6W J	C312	OB41787A	CC 0.022μ 25V Z
U401	OB11243A	IC LA1247	R320	OB09719A	RK 56K 1/6W J	C313,314	OB41290A	CML 0.022μ 50V J
Q301	OB10127A	FET 2SK241 (GR)	R321	OB09705A	RK 15K 1/6W J (TA-4/4E)	C315	OB40420A	CE 220μ 16V (LN)
Q302	OB10174A	TR 2SC2669 (O,Y)		OB09701A	RK 10K 1/6W J (TA-4A)	C316,317	OB41787A	CC 0.022μ 25V Z
Q303,304	OB06100A	TR 2SC945 (K,P,Q)	R322	OB09699A	RK 8.2K 1/6W J	C318	OB41787A	CC 0.022μ 25V Z
Q305	OB06100A	TR 2SC945 (K,P,Q)	R323	OB09677A	RM 2.21K 1/6W F	C319	OB01402A	CE 4.7μ 25V
Q306	OB10025A	TR 2SC945L (P,K) (TA-4E)	R324	OB09727A	RK 120K 1/6W J	C320	OB41787A	CC 0.022μ 25V Z
			R325	OB09705A	RK 15K 1/6W J	C321	OB09372A	CE 2.2μ 50V
Q307,308	OB06100A	TR 2SC945 (K,P,Q)	R326	OB09669A	RK 470 1/6W J	C322	OB41787A	CC 0.022μ 25V Z
Q309	OB06013A	TR 2SA733 (P,Q)	R327	OB09693A	RK 4.7K 1/6W J	C323	OB01405A	CE 1μ 50V
Q310	OB10068A	TR DTC114ES	R328	OB09677A	RK 1K 1/6W J	C324	OB41787A	CC 0.022μ 25V Z
Q311,312	OB06100A	TR 2SC945 (K,P,Q)	R329	OB09717A	RK 47K 1/6W J	C325	OB41909A	CC 100P 50V J
Q313	OB06100A	TR 2SC945 (K,P,Q)	R330	OB09725A	RK 100K 1/6W J	C326	OB41787A	CC 0.022μ 25V Z
Q351	OB10174A	TR 2SC945 (K,P,Q) (TA-4/4E)	R331	OB09701A	RK 10K 1/6W J	C327	OB01405A	CE 1μ 50V
			R332	OB09717A	RK 47K 1/6W J	C328	OB40066A	CE 330μ 10V
Q401	OB06129A	FET 2SK117 (Y)	R333	OB09701A	RK 10K 1/6W J	C329	OB41787A	CC 0.022μ 25V Z
Q402	OB06100A	TR 2SC945 (K,P,Q)	R334,335	OB09717A	RK 47K 1/6W J	C330	OB41907A	CC 47P 50V J
D301	OB06398A	SID 1SS176	R337,338	OB09701A	RK 10K 1/6W J	C331	OB41912A	CC 1000P 50V Z
D302,303	OB06398A	SID 1SS176	R339	OB09701A	RK 10K 1/6W J	C332	OB41907A	CC 47P 50V J
D304,305	OB06398A	SID 1SS176	R340	OB09707A	RK 18K 1/6W J	C333	OB41921A	CSP 560P 50V J
D306,307	OB06398A	SID 1SS176	R341	OB09725A	RK 100K 1/6W J	C334	OB41907A	CC 47P 50V J
D308,309	OB06398A	SID 1SS176	R342,343	OB09701A	RK 10K 1/6W J	C335,336	OB41787A	CC 0.022μ 25V Z
D310,311	OB06398A	SID 1SS176	R344,345	OB09717A	RK 47K 1/6W J	C337	OB01405A	CE 1μ 50V
D312,313	OB06398A	SID 1SS176	R346	OB09701A	RK 10K 1/6W J	C338	OB41787A	CC 0.022μ 25V Z
D314	OB06398A	SID 1SS176		OB09694A	RK 5.1K 1/6W J (TA-4E)	C339	OB41219A	CPP 560P 100V (TA-4E)
D351,352	OB06398A	SID 1SS176 (TA-4)	R347	OB09745A	RK 680K 1/6W J (TA-4E)	C340	OB01400A	CE 100μ 16V (TA-4E)
D353,354	OB06398A	SID 1SS176 (TA-4)	R348	OB09687A	RK 2.7K 1/6W J (TA-4E)	C341	OB01405A	CE 1μ 50V
D401	OB12386A	Varicap KV1226Y	R349	OB09669A	RK 470 1/6W J (TA-4E)	C352	OB41787A	CC 0.022μ 25V (TA-4)
D402	OB12363A	SID MA700	R350	OB09665A	RK 330 1/6W J (TA-4A)	C353,354	OB41787A	CC 0.022μ 25V (TA-4/4E)
D403,404	OB06398A	SID 1SS176	R351	OB09665A	RK 330 1/6W J (TA-4)	C356,357	OB41787A	CC 0.022μ 25V (TA-4/4E)
CF301,302	OB41918A	Ceramic Filter SFE10.7MLA	R352	OB09693A	RK 4.7K 1/6W J (TA-4)	C358	OB41787A	CC 0.022μ 25V (TA-4/4E)
CF303,304	OB41746A	Ceramic Filter SFE10.7MS3GH15A (TA-4/4E)	R353	OB09665A	RK 330 1/6W J (TA-4/4E)	C359	OB01412A	CE 10μ 16V (TA-4E)
CF305	OB41918A	Ceramic Filter SFE10.7MLA	R354	OB09665A	RK 330 1/6W J (TA-4/4E)	C401	OB41787A	CC 0.022μ 25V Z
CF401	OB41701A	Ceramic Filter SFZ450G3L	R355	OB09689A	RK 3.3K 1/6W J (TA-4/4E)	C404	OB41920A	CSP 430P 50V J
CF402	OB92003A	Ceramic Resonator 450KHz	R356	OB09698A	RK 7.5K 1/6W J (TA-4/4E)	C408,409	OB41787A	CC 0.022μ 25V Z
		BFU450C4N	R357	OB09671A	RK 560 1/6W J (TA-4/4E)	C410	OB41912A	CC 1000P 50V Z
L301,302	OB51239A	Coil 22μH (K)	R358	OB09650A	RK 75 1/6W J (TA-4)	C411,412	OB41787A	CC 0.022μ 25V Z
L303,304	OB51239A	Coil 22μH (K)		OB09646A	RK 51 1/6W J (TA-4E)	C413	OB41912A	CC 1000P 50V Z
L305	OB51240A	FM DET Coil A	R359	OB09677A	RK 1K 1/6W J (TA-4/4E)	C414,415	OB41787A	CC 0.022μ 25V Z
L306	OB51241A	FM DET Coil B	R360	OB09693A	RK 4.7K 1/6W J (TA-4)	C416	OB41908A	CC 82P 50V J
L307,308	OB51243A	Choke Coil 6.2mH				C417	OB41787A	CC 0.022μ 25V Z
L309	OB51288A	L.P.F. Filter (TA-4E)				C418	OB01403A	CE 47μ 16V
L351	OB51239A	Coil 22μH (K) (TA-4)	R401	OB09677A	RK 1K 1/6W J	C419	OB41912A	CC 1000P 50V Z
L352,353	OB51239A	Coil 22μH (K) (TA-4/4E)	R402	OB09725A	RK 100K 1/6W J	C420,421	OB01402A	CE 4.7μ 25V
L401	OB51282A	ANT Coil	R403	OB09685A	RK 2.2K 1/6W J	C422	OB41787A	CC 0.022μ 25V Z
L402	OB51279A	OSC Coil	R404	OB09725A	RK 100K 1/6W J	C423	OB40111A	CC 0.47μ 50V
L403	OB51280A	AM IFT1 Coil	R405	OB09665A	RK 330 1/6W J	C424	OB41787A	CC 0.022μ 25V Z
L404	OB51281A	AM IFT2 Coil	R406	OB09661A	RK 220 1/6W J	C425	OB09372A	CE 2.2μ 50V
L405,406	OB51239A	Coil 22μH (K)	R407	OB09681A	RK 1.5K 1/6W J	C426	OB41787A	CC 0.022μ 25V Z
VR301	OB32084A	Semi VR 47KB	R408	OB09685A	RK 2.2K 1/6W J	C427	OB41913A	CC 2200P 50V M
VR302	OB32080A	Semi VR 10KB	R409	OB09674A	RK 750 1/6W J	C428	OB41292A	CML 0.033μ 50V J
VR303	OB32084A	Semi VR 47KB	R410	OB09651A	RK 82 1/6W J	C429	OB01403A	CE 47μ 16V
VR401	OB32086A	Semi VR 100KB	R411	OB09733A	RK 220K 1/6W J	C430	OB41914A	CC 0.01μ 50V Z
R301	OB09725A	RK 100K 1/6W J	R412,413	OB09701A	RK 10K 1/6W J	TP1,2	OB81759A	2P-T Post EH-2P
R302	OB09721A	RK 68K 1/6W J	R414	OB09708A	RK 20K 1/6W J	PJ301	OB81977A	Antenna Terminal F (TA-4/4A)
R303	OB09727A	RK 120K 1/6W J	R415	OB09701A	RK 10K 1/6W J		OB81979A	Antenna Terminal F (TA-4E)
R304	OB09677A	RK 1K 1/6W J	R416	OB09677A	RK 1K 1/6W J	CN15	OB81974A	8P-T Post EH-8P
R305	OB09745A	RK 680K 1/6W J	R417	OB09685A	RK 2.2K 1/6W J	CN28	OB81759A	2P-T Post EH-2P
R306	OB09665A	RK 330 1/6W J	R418	OB09725A	RK 100K 1/6W J	CN31	OB83417A	WHT
R307	OB09645A	RK 47 1/6W J	R419	OB09709A	RK 22K 1/6W J	CN33	OB81760A	10P Connector 250mm
R308	OB09667A	RK 390 1/6W J	VC307	OB42012A	C Trimmer 30P	CN38	OB83427A	3P-T Post EH-3P (TA-4)
R309	OB09698A	RK 7.5K 1/6W J	VC355	OB42012A	C Trimmer 30P (TA-4/4E)	FE301	OB91016A	5P Connector 260mm
			VC402	OB42011A	C Trimmer 20P		OB91031A	Front-end FE407-A16 (TA-4/4A)
			VC406	OB42011A	C Trimmer 20P		OJ05624A	Front-end FE407-G58 (TA-4E)
								Terminal Holder (2)

Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description
6.19. Video & Logic P.C.B. Ass'y			D516	OB06398A	SiD 1SS176	R575,576	OB01846A	RK 4.7K 1/4W J
	BA07360A	Video & Logic P.C.B. Ass'y (TA-4)	D517	OB06181A	SiD 1SS53	R577	OB01846A	RK 4.7K 1/4W J
	BA07296A	Video & Logic P.C.B. Ass'y (TA-4A)	D518,519	OB06398A	SiD 1SS176	R578,579	OB09693A	RK 4.7K 1/6W J
	BA07361A	Video & Logic P.C.B. Ass'y (TA-4E)	D520,521	OB06398A	SiD 1SS176	R580	OB09693A	RK 4.7K 1/6W J
	OB60606A	Video & Logic P.C.B.	D524,525	OB06398A	SiD 1SS176	R581,582	OB05641A	RK 47K 1/4W J
U501	OB11250A	IC LB1645N	D526,527	OB06398A	SiD 1SS176	R583,584	OB05641A	RK 47K 1/4W J
U502	OB06143A	IC μ PD4001BC	D528,529	OB06398A	SiD 1SS176	R585,586	OB05641A	RK 47K 1/4W J
U503	OB06219A	IC μ PD4081BC	D530	OB06398A	SiD 1SS176	R587,588	OB05641A	RK 47K 1/4W J
U504	OB11513A	IC μ PD74HC237	D531	OB06181A	SiD 1SS53	R590,591	OB09717A	RK 47K 1/6W J
U505	OB11502A	IC μ PD75104CW	D532	OB06398A	SiD 1SS176	R592,593	OB09717A	RK 47K 1/6W J
U506	OB11161A	IC TC9147BP	D534	OB06398A	SiD 1SS176	R594,595	OB09717A	RK 47K 1/6W J
U507	OB11159A	IC TD6104P	D535	OB06181A	SiD 1SS53	R596,597	OB09717A	RK 47K 1/6W J
U952	OB11248A	IC ICP-N5	D951	OB12604A	SiD W02M	R598	OB09717A	RK 47K 1/6W J
U953	OB11335A	IC ICP-N15	D953,954	OB06398A	SiD 1SS176	R601,602	OB09733A	RK 220K 1/6W J
U1001,1002	OB06169A	IC TC4066BP	D955	OB06398A	SiD 1SS176	R603,604	OB09733A	RK 220K 1/6W J
Q501,502	OB10113A	TR 2SC1815 (GR)	D956	OB12604A	SiD W02M	R681,682	OB09717A	RK 47K 1/6W J
Q503	OB10113A	TR 2SC1815 (GR)	D957,958	OB06398A	SiD 1SS176	R683,684	OB09717A	RK 47K 1/6W J
Q504	OB10116A	TR 2SA1015 (GR)	D959,960	OB12624A	SiD 1SS177	R685,686	OB09717A	RK 47K 1/6W J
Q505,506	OB10113A	TR 2SC1815 (GR)	D961,962	OB12586A	SiD 1N4002	R687	OB09717A	RK 47K 1/6W J
Q507,508	OB10116A	TR 2SA1015 (GR)	D963	OB06398A	SiD 1SS176	R693,694	OB09681A	RK 1.5K 1/6W J
Q509,510	OB10116A	TR 2SA1015 (GR)	D966,967	OB06398A	SiD 1SS176	R696,697	OB09701A	RK 10K 1/6W J
Q511	OB10068A	TR DTC114ES	D968,969	OB06398A	SiD 1SS176	R698	OB09709A	RK 22K 1/6W J
Q512,513	OB10113A	TR 2SC1815 (GR)	D1001	OB12604A	SiD W02M	R951	OB09665A	RK 330 1/6W J
Q514,515	OB10088A	TR 2SC1815L (GR) (Low Noise)	D1003,1004	OB06398A	SiD 1SS176	R952	OB09669A	RK 470 1/6W J
Q516,517	OB10113A	TR 2SC1815 (GR)	D1005,1006	OB06398A	SiD 1SS176	R953,954	OB09686A	RK 2.4K 1/6W J
Q518,519	OB10113A	TR 2SC1815 (GR)	D1007,1008	OB06398A	SiD 1SS176	R955	OB09685A	RK 2.2K 1/6W J
Q520,521	OB10113A	TR 2SC1815 (GR)	D1009,1010	OB06398A	SiD 1SS176	R956	OB09695A	RK 5.6K 1/6W J
Q522,523	OB10113A	TR 2SC1815 (GR)	X501	OB92014A	Ceramic Resonator 4MHz	R957	OB09733A	RK 220K 1/6W J
Q524,525	OB10116A	TR 2SA1015 (GR)	X502	OB92006A	X'Tal 7.2MHz	R958	OB09725A	RK 100K 1/6W J
Q526,527	OB10116A	TR 2SA1015 (GR)	L501	OB51239A	Coil 22 μ H	R959	OB09709A	RK 22K 1/6W J
Q528,529	OB10116A	TR 2SA1015 (GR)	L502	OB51286A	Coil 470 μ H	R960	OB09707A	RK 18K 1/6W J
Q530,531	OB10116A	TR 2SA1015 (GR)	R500	OB09677A	RK 1K 1/6W J	R961	OB09693A	RK 4.7K 1/6W J
Q532	OB10116A	TR 2SA1015 (GR)	R501	OB09725A	RK 100K 1/6W J	R962	OB09727A	RK 120K 1/6W J
Q533,534	OB10113A	TR 2SC1815 (GR)	R502	OB09707A	RK 18K 1/6W J	R963	OB09719A	RK 56K 1/6W J
Q535,536	OB10113A	TR 2SC1815 (GR)	R503	OB09695A	RK 5.6K 1/6W J	R964	OB09721A	RK 68K 1/6W J
Q537,538	OB10113A	TR 2SC1815 (GR)	R504	OB09697A	RK 6.8K 1/6W J	R965,966	OB09725A	RK 100K 1/6W J
Q539,540	OB10113A	TR 2SC1815 (GR)	R505,506	OB09725A	RK 100K 1/6W J	R967	OB09717A	RK 47K 1/6W J
Q541,542	OB10113A	TR 2SC1815 (GR)	R507	OB01888A	RK 10K 1/4W J	R968	OB09701A	RK 10K 1/6W J
Q543,544	OB10113A	TR 2SC1815 (GR)	R508	OB09669A	RK 470 1/6W J	R969	OB09694A	RK 5.1K 1/6W J
Q545,546	OB10113A	TR 2SC1815 (GR)	R509	OB09701A	RK 10K 1/6W J	R970,971	OB09701A	RK 10K 1/6W J
Q547,548	OB10113A	TR 2SC1815 (GR)	R510,511	OB09695A	RK 5.6K 1/6W J	R972	OB09694A	RK 5.1K 1/6W J
Q552,553	OB10113A	TR 2SC1815 (GR)	R512	OB09689A	RK 3.3K 1/6W J	R973	OB09701A	RK 10K 1/6W J
Q554,555	OB10113A	TR 2SC1815 (GR)	R513	OB09683A	RK 1.8K 1/6W J	R1001	OB09681A	RK 1.5K 1/6W J
Q556	OB10113A	TR 2SC1815 (GR)	R514	OB09689A	RK 3.3K 1/6W J	R1002	OB09725A	RK 100K 1/6W J
Q557	OB10062A	TR DTC144ES	R515,516	OB09661A	RK 220 1/6W J	R1003	OB09701A	RK 10K 1/6W J
Q951	OB10113A	TR 2SC1815 (GR)	R517	OB09701A	RK 10K 1/6W J	R1004	OB09649A	RK 68 1/6W J
Q953	OB06142A	TR 2SC2240 (BL)	R518	OB09725A	RK 100K 1/6W J	R1005	OB09661A	RK 220 1/6W J
Q954,955	OB10113A	TR 2SC1815 (GR)	R519	OB09661A	RK 220 1/6W J	R1006	OB20514A	RK 100 1/2W J
Q956	OB10116A	TR 2SA1015 (GR)	R520,521	OB09701A	RK 10K 1/6W J	R1007	OB09669A	RK 470 1/6W J
Q957	OB10113A	TR 2SC1815 (GR)	R522,523	OB09725A	RK 100K 1/6W J	R1008	OB09683A	RK 1.8K 1/6W J
Q958	OB06013A	TR 2SA733 (P,Q)	R524,525	OB09725A	RK 100K 1/6W J	R1009	OB09669A	RK 470 1/6W J
Q959	OB10113A	TR 2SC1815 (GR)	R526,527	OB09725A	RK 100K 1/6W J	R1010	OB09677A	RK 1K 1/6W J
Q960	OB06013A	TR 2SA733 (P,Q)	R528	OB09725A	RK 100K 1/6W J	R1011	OB09665A	RK 330 1/6W J
Q961	OB10113A	TR 2SC1815 (GR)	R529	OB09725A	RK 100K 1/6W J	R1012	OB09679A	RK 1.2K 1/6W J
Q1001	OB06452A	TR 2SD1406 (Y)	R530	OB09663A	RK 270 1/6W J	R1013	OB09691A	RK 3.9K 1/6W J
Q1002	OB06100A	TR 2SC945 (K,P,Q)	R531	OB09693A	RK 4.7K 1/6W J	R1014	OB09651A	RK 82 1/6W J
Q1003	OB06013A	TR 2SA733 (P,Q)	R532	OB09717A	RK 47K 1/6W J	R1015	OB09701A	RK 10K 1/6W J
Q1004,1005	OB06100A	TR 2SC945 (K,P,Q)	R533,534	OB09677A	RK 1K 1/6W J	R1016	OB09649A	RK 68 1/6W J
Q1006	OB06013A	TR 2SA733 (P,Q)	R535,536	OB09677A	RK 1K 1/6W J	R1017	OB20514A	RK 100 1/2W J
Q1007	OB06100A	TR 2SC945 (K,P,Q)	R537,538	OB09677A	RK 1K 1/6W J	R1018	OB09661A	RK 220 1/6W J
Q1008	OB10116A	TR 2SA1015 (GR)	R539,540	OB09677A	RK 1K 1/6W J	R1019	OB09669A	RK 470 1/6W J
ZD504	OB12622A	ZD 5.6V	R541,542	OB09677A	RK 1K 1/6W J	R1020	OB09683A	RK 1.8K 1/6W J
		RD5.6JB-T1B3	R543,544	OB09677A	RK 1K 1/6W J	R1021	OB09677A	RK 1K 1/6W J
		ZD 6.8V	R545,546	OB09693A	RK 4.7K 1/6W J	R1022	OB09669A	RK 470 1/6W J
ZD952	OB12619A	RD6.8ES-T1B2	R547	OB09725A	RK 100K 1/6W J	R1023	OB09665A	RK 330 1/6W J
		ZD 15V	R548	OB09701A	RK 10K 1/6W J	R1024	OB09691A	RK 3.9K 1/6W J
ZD964,965	OB12621A	RD15ES-T1B1	R549	OB09739A	RK 390K 1/6W J	R1025	OB09679A	RK 1.2K 1/6W J
		ZD 13V	R550	OB09709A	RK 22K 1/6W J	R1026	OB09651A	RK 82 1/6W J
ZD1002	OB12177A	RD13JS-T1B2	R551,552	OB09685A	RK 2.2K 1/6W J	R1027,1028	OB09650A	RK 75 1/6W J
		SiD 1SS176	R553,554	OB09701A	RK 10K 1/6W J	R1029	OB09650A	RK 75 1/6W J
D501,502	OB06398A	SiD 1SS176	R555	OB20093A	RK 1.5M 1/6W J	R1030,1031	OB05776A	RK 1M 1/4W J
D503	OB06398A	SiD 1SS176	R556	OB09731A	RK 180K 1/6W J	R1032,1033	OB05776A	RK 1M 1/4W J
D505,506	OB06398A	SiD 1SS176	R557	OB09733A	RK 220K 1/6W J	R1034,1035	OB05776A	RK 1M 1/4W J
D507	OB12363A	SiD MA700	R558	OB09693A	RK 4.7K 1/6W J	C501	OB01836A	CE 47 μ 10V
D508	OB06398A	SiD 1SS176	R559	OB09725A	RK 100K 1/6W J	C502	OB09372A	CE 2.2 μ 50V
D509	OB12363A	SiD MA700	R560,561	OB09721A	RK 68K 1/6W J	C503	OB41917A	CC 0.1 μ 25V Z
D510,511	OB06398A	SiD 1SS176	R562,563	OB09725A	RK 100K 1/6W J	C504	OB41914A	CC 0.01 μ 50V Z
D512,513	OB06398A	SiD 1SS176	R564	OB09677A	RK 1K 1/6W J	C505	OB01405A	CE 1 μ 50V
D514,515	OB06398A	SiD 1SS176	R565	OB09725A	RK 100K 1/6W J	C506	OB41787A	CC 0.022 μ 25V Z
			R566,567	OB09701A	RK 10K 1/6W J	C507	OB05885A	CE 100 μ 10V
			R568	OB09677A	RK 1K 1/6W J	C508	OB01405A	CE 1 μ 50V
			R569	OB09699A	RK 8.2K 1/6W J	C509	OB05681A	CML 0.01 μ 50V J
			R570	OB09701A	RK 10K 1/6W J	C510,511	OB41903A	CC 33P 50V J
			R571	OB09677A	RK 1K 1/6W J	C512	OB01405A	CE 1 μ 50V
			R572	OB00346A	RK 1K 1/2W J	C513	OB41787A	CC 0.022 μ 25V Z
			R573,574	OB01846A	RK 4.7K 1/4W J	C514	OB01405A	CE 1 μ 50V
						C515	OB05899A	CE 220 μ 10V

6.19. Video & Logic P.C.B. Ass'y




Fig. 6.19

Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description
C516	0B41902A	CC 22P 50V J	C959	0B40095A	CE 1000μ 25V	C1016,1017	0B01862A	CE 22μ 16V	CN2	0B81765A	8P-T Post EH-8P	CN32	0B81968A	3P-T Post EH-3P
C517	0B41904A	CC 47P 50V J	C960	0B41917A	CC 0.1μ 25V Z	C1018	0B01862A	CE 22μ 16V			WHT			RED (TA-4)
C518	0B41787A	CC 0.022μ 25V Z	C961	0B01412A	CE 10μ 16V	F951	0B90336A	Fuse 1A 250V	CN3	0B81762A	5P-T Post EH-5P	CN35	0B81760A	3P-T Post EH-3P
C519	0B01405A	CE 1μ 50V	C962	0B41917A	CC 0.1μ 25V Z			(TA-4/4A)			WHT			WHT
C520	0B41906A	CC 39P 50V J	C963	0B01400A	CE 100μ 16V		0B90286A	Fuse T1A 250V	CN6	0B81759A	2P-T Post EH-2P	CN36	0B81968A	3P-T Post EH-3P
C521	0B41914A	CC 0.01μ 50V Z	C964	0B40094A	CE 470μ 25V			(TA-4E)			WHT			RED
C522	0B41913A	CC 2200P 50V K	C965	0B40123A	CE 470μ 50V	F952	0B90337A	Fuse 2A 250V	CN9	0B81973A	5P-T Post EH-5P	CN37	0B81970A	3P-T Post EH-3P
C523	0B41787A	CC 0.022μ 25V Z	C966	0B40100A	CE 10μ 35V			(TA-4/4A)			BLK			YEL
C524	0B41909A	CC 100P 50V J	C967	0B01405A	CE 1μ 50V		0B90355A	Fuse T2A 250V	CN14	0B81967A	2P-T Post EH-2P	CN38	0B81762A	5P-T Post EH-5P
C525	0B01403A	CE 47μ 16V	C968	0B01400A	CE 100μ 16V			(TA-4E)			BLK	CN39	0B81759A	2P-T Post EH-2P
C526,527	0B41787A	CC 0.022μ 25V Z	C969	0B01405A	CE 1μ 50V	F1001	0B90335A	Fuse 0.5A 250V	CN16	0B81972A	5P-T Post EH-5P	CN40,41	0B81954A	3P Connector
C528	0B40103A	CE 47μ 35V	C970	0B01863A	CE 3.3μ 50V			(TA-4/4A)			RED		0B81848A	Fuse Holder
C529	0B09567A	CE 0.33μ 50V (LN)	C971	0B41304A	CML 0.33μ 50V J		0B90288A	Fuse T500mA 250V	CN21	0B81969A	3P-T Post EH-3P			(TA-4E) (6)
C530	0B01780A	CML 0.1μ 50V J	C1001,1002	0B41915A	CC 0.1μ 50V Z			(TA-4E)			BLK		0B81930A	Fuse Holder
C533	0B01405A	CE 1μ 50V	C1003	0B40423A	CE 470μ 16V	PJ501	0B83399B	Flat Wire 8P 260	CN22	0B81966A	2P-T Post EH-2P			SN-5051 (TA-4/4A) (6)
C534	0B40025A	CE 0.47μ 50V	C1004	0B40079A	CE 220μ 16V	PJ502	0B83397B	Flat Wire 8P 220			RED			(1)
C535,536	0B41787A	CC 0.022μ 25V Z	C1005	0B01400A	CE 100μ 16V	PJ503	0B83400B	Flat Wire 8P 320	CN23	0B81959A	8P Connector	OJ05704A	Shield Plate B	(1)
C537,538	0B41787A	CC 0.022μ 25V Z	C1006	0B40082A	CE 1000μ 16V	PJ504	0B83394B	Flat Wire 3P 320	CN24	0B81955A	4P Connector	OJ05705B	Shield Plate	(1)
C539,540	0B41787A	CC 0.022μ 25V Z	C1007	0B01400A	CE 100μ 16V	PJ505	0B83395B	Flat Wire 3P 400	CN25,26	0B81959A	8P Connector	OM04191A	Fuse Label T1A	(1)
C541,542	0B41787A	CC 0.022μ 25V Z	C1008	0B41905A	CC 5P 50V C	PJ506	0B83398B	Flat Wire 8P 250	CN27	0B81761A	4P-T Post EH-4P			250V (TA-4E) (1)
C951,952	0B41915A	CC 0.1μ 50V Z	C1009	0B41910A	CC 390P 50V J	PJ1001,	0B81947A	1P Pin Jack			WHT		OM05295A	Fuse Label T2A
C953	0B40082A	CE 1000μ 16V	C1010	0B40082A	CE 1000μ 16V	1002			CN29	0B81956A	5P Connector			250V (TA-4E) (1)
C954	0B01400A	CE 100μ 16V	C1011	0B41400A	CE 100μ 16V	PJ1003,	0B81947A	1P Pin Jack	CN30	0B81959A	8P Connector			
C955	0B01405A	CE 1μ 50V	C1012	0B41905A	CC 5P 50V C	1004			CN31	0B81767A	10P-T Post EH-10P			
C956	0B05885A	CE 100μ 10V	C1013	0B41910A	CC 390P 50V J	PJ1005	0B81947A	1P Pin Jack			WHT			
C957,958	0B41915A	CC 0.1μ 50V Z	C1014,1015	0B01862A	CE 22μ 16V									

This is a high-resolution photograph of a large, complex electronic circuit board, characteristic of a vintage television set. The board is densely packed with components, including integrated circuits, resistors, capacitors, and various connectors. The layout is organized into functional sections, with labels such as "Video 1", "Video 2", "Video 3 VCR", "MC Gain", and "Heat Sink" indicating different areas of the circuit. Numerous component values and part numbers are visible, such as "R201R", "C201R", "U201", "R202R", "C202R", "U202", "R203R", "C203R", "U203", "R204R", "C204R", "U204", "R205R", "C205R", "U205", "R206R", "C206R", "U206", "R207R", "C207R", "U207", "R208R", "C208R", "U208", "R209R", "C209R", "U209", "R210R", "C210R", "U210", "R211R", "C211R", "U211", "R212R", "C212R", "U212", "R213R", "C213R", "U213", "R214R", "C214R", "U214", "R215R", "C215R", "U215", "R216R", "C216R", "U216", "R217R", "C217R", "U217", "R218R", "C218R", "U218", "R219R", "C219R", "U219", "R220R", "C220R", "U220", "R221R", "C221R", "U221", "R222R", "C222R", "U222", "R223R", "C223R", "U223", "R224R", "C224R", "U224", "R225R", "C225R", "U225", "R226R", "C226R", "U226", "R227R", "C227R", "U227", "R228R", "C228R", "U228", "R229R", "C229R", "U229", "R230R", "C230R", "U230", "R231R", "C231R", "U231", "R232R", "C232R", "U232", "R233R", "C233R", "U233", "R234R", "C234R", "U234", "R235R", "C235R", "U235", "R236R", "C236R", "U236", "R237R", "C237R", "U237", "R238R", "C238R", "U238", "R239R", "C239R", "U239", "R240R", "C240R", "U240", "R241R", "C241R", "U241", "R242R", "C242R", "U242", "R243R", "C243R", "U243", "R244R", "C244R", "U244", "R245R", "C245R", "U245", "R246R", "C246R", "U246", "R247R", "C247R", "U247", "R248R", "C248R", "U248", "R249R", "C249R", "U249", "R250R", "C250R", "U250", "R251R", "C251R", "U251", "R252R", "C252R", "U252", "R253R", "C253R", "U253", "R254R", "C254R", "U254", "R255R", "C255R", "U255", "R256R", "C256R", "U256", "R257R", "C257R", "U257", "R258R", "C258R", "U258", "R259R", "C259R", "U259", "R260R", "C260R", "U260", "R261R", "C261R", "U261", "R262R", "C262R", "U262", "R263R", "C263R", "U263", "R264R", "C264R", "U264", "R265R", "C265R", "U265", "R266R", "C266R", "U266", "R267R", "C267R", "U267", "R268R", "C268R", "U268", "R269R", "C269R", "U269", "R270R", "C270R", "U270", "R271R", "C271R", "U271", "R272R", "C272R", "U272", "R273R", "C273R", "U273", "R274R", "C274R", "U274", "R275R", "C275R", "U275", "R276R", "C276R", "U276", "R277R", "C277R", "U277", "R278R", "C278R", "U278", "R279R", "C279R", "U279", "R280R", "C280R", "U280", "R281R", "C281R", "U281", "R282R", "C282R", "U282", "R283R", "C283R", "U283", "R284R", "C284R", "U284", "R285R", "C285R", "U285", "R286R", "C286R", "U286", "R287R", "C287R", "U287", "R288R", "C288R", "U288", "R289R", "C289R", "U289", "R290R", "C290R", "U290", "R291R", "C291R", "U291", "R292R", "C292R", "U292", "R293R", "C293R", "U293", "R294R", "C294R", "U294", "R295R", "C295R", "U295", "R296R", "C296R", "U296", "R297R", "C297R", "U297", "R298R", "C298R", "U298", "R299R", "C299R", "U299", "R300R", "C300R", "U300", "R301R", "C301R", "U301", "R302R", "C302R", "U302", "R303R", "C303R", "U303", "R304R", "C304R", "U304", "R305R", "C305R", "U305", "R306R", "C306R", "U306", "R307R", "C307R", "U307", "R308R", "C308R", "U308", "R309R", "C309R", "U309", "R310R", "C310R", "U310", "R311R", "C311R", "U311", "R312R", "C312R", "U312", "R313R", "C313R", "U313", "R314R", "C314R", "U314", "R315R", "C315R", "U315", "R316R", "C316R", "U316", "R317R", "C317R", "U317", "R318R", "C318R", "U318", "R319R", "C319R", "U319", "R320R", "C320R", "U320", "R321R", "C321R", "U321", "R322R", "C322R", "U322", "R323R", "C323R", "U323", "R324R", "C324R", "U324", "R325R", "C325R", "U325", "R326R", "C326R", "U326", "R327R", "C327R", "U327", "R328R", "C328R", "U328", "R329R", "C329R", "U329", "R330R", "C330R", "U330", "R331R", "C331R", "U331", "R332R", "C332R", "U332", "R333R", "C333R", "U333", "R334R", "C334R", "U334", "R335R", "C335R", "U335", "R336R", "C336R", "U336", "R337R", "C337R", "U337", "R338R", "C338R", "U338", "R339R", "C339R", "U339", "R340R", "C340R", "U340", "R341R", "C341R", "U341", "R342R", "C342R", "U342", "R343R", "C343R", "U343", "R344R", "C344R", "U344", "R345R", "C345R", "U345", "R346R", "C346R", "U346", "R347R", "C347R", "U347", "R348R", "C348R", "U348", "R349R", "C349R", "U349", "R350R", "C350R", "U350", "R351R", "C351R", "U351", "R352R", "C352R", "U352", "R353R", "C353R", "U353", "R354R", "C354R", "U354", "R355R", "C355R", "U355", "R356R", "C356R", "U356", "R357R", "C357R", "U357", "R358R", "C358R", "U358", "R359R", "C359R", "U359", "R360R", "C360R", "U360", "R361R", "C361R", "U361", "R362R", "C362R", "U362", "R363R", "C363R", "U363", "R364R", "C364R", "U364", "R365R", "C365R", "U365", "R366R", "C366R", "U366", "R367R", "C367R", "U367", "R368R", "C368R", "U368", "R369R", "C369R", "U369", "R370R", "C370R", "U370", "R371R", "C371R", "U371", "R372R", "C372R", "U372", "R373R", "C373R", "U373", "R374R", "C374R", "U374", "R375R", "C375R", "U375", "R376R", "C376R", "U376", "R377R", "C377R", "U377", "R378R", "C378R", "U378", "R379R", "C379R", "U379", "R380R", "C380R", "U380", "R381R", "C381R", "U381", "R382R", "C382R", "U382", "R383R", "C383R", "U383", "R384R", "C384R", "U384", "R385R", "C385R", "U385", "R386R", "C386R", "U386", "R387R", "C387R", "U387", "R388R", "C388R", "U388", "R389R", "C389R", "U389", "R390R", "C390R", "U390", "R391R", "C391R", "U391", "R392R", "C392R", "U392", "R393R", "C393R", "U393", "R394R", "C394R", "U394", "R395R", "C395R", "U395", "R396R", "C396R", "U396", "R397R", "C397R", "U397", "R398R", "C398R", "U398", "R3

25

Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description
6.20. Main P.C.B. Ass'y			ZD254,255	OB12619A	ZD 6.8V RD6.8ES-T1B2	R179	OB09661A	RK 220 1/6W J	R291	OB09701A	RK 10K 1/6W J	C207L,R	OB41082A	CML 1000P (TA-4E)	CN20	OB81966A	2P-T Post EH-2P RED
	BA07540A	Main P.C.B. Ass'y (TA-4)	ZD256	OB12618A	ZD 4.7V RD4.7ES-T1B2	R180	OB09697A	RK 6.8K 1/6W J	R292	OB09733A	RK 220K 1/6W J	C208L,R	OB41082A	CML 1000P (TA-4E)	CN34	OB81759A	2P-T Post EH-2P (TA-4)
	BA07282A	Main P.C.B. Ass'y (TA-4A)	ZD903,904	OB12620A	ZD 12V RD12ES-T1B2	R181	OB09689A	RK 3.3K 1/6W J	R293	OB09724A	RK 91K 1/6W J					OB83396A	Flat Cable 7P 110 (2)
	BA07541A	Main P.C.B. Ass'y (TA-4E)	ZD905	OB12168A	ZD 10V RD10JS-T1B2	R184,185	OB09713A	RK 33K 1/6W J	R294	OB09719A	RK 56K 1/6W J	C209L,R	OB41082A	CML 1000P (TA-4E)		OB83391A	Flat Cable 3P 170 (1)
						R187,188	OB09717A	RK 47K 1/6W J	R295	OB09707A	RK 18K 1/6W J					OB83390A	Flat Cable 3P 80 (1)
						R189,190	OB09717A	RK 47K 1/6W J	R296	OB09717A	RK 47K 1/6W J					OB83392B	Flat Cable 3P 270 (1)
						R191,192	OB09717A	RK 47K 1/6W J	R297	OB09701A	RK 10K 1/6W J					OB83393B	Flat Cable 3P 370 (1)
						R193,194	OB09717A	RK 47K 1/6W J	R298	OB09661A	RK 220 1/6W J					OB83432A	Lead Wire 150 (1)
						R197	OB09749A	RK 1M 1/6W J	R299	OB09693A	RK 4.7K 1/6W J	C250L,R	OB41704A	CSP 330P 50V J		OB83433A	Lead Wire 200 (1)
						R201L,R	OB09719A	RK 56K 1/6W J	R451	OB09701A	RK 10K 1/6W J	C251L,R	OB09852A	CML 4700P 50V J		OM04191A	Fuse Label T1A 250V (TA-4E) (2)
						R202L,R	OB09653A	RK 100 1/6W J	R452	OB09689A	RK 3.3K 1/6W J	C252L,R	OB41923A	CSP 22P 125V K			
						R203L,R	OB09719A	RK 56K 1/6W J	R453	OB09721A	RK 68K 1/6W J	C253L,R	OB41923A	CSP 22P 125V K			
						R204L,R	OB09653A	RK 100 1/6W J	R454	OB09701A	RK 10K 1/6W J	C254L,R	OB40154A	CE 2.2μ 16V (LN)			
						R205L,R	OB09719A	RK 56K 1/6W J	R455	OB09677A	RK 1K 1/6W J	C255L,R	OB41823A	CML 0.01μ 50V J			
						R206L,R	OB09653A	RK 100 1/6W J	R457	OB09721A	RK 68K 1/6W J	C256L,R	OB41537A	CML 0.1μ 50V J			
						R207L,R	OB09719A	RK 56K 1/6W J	R458,459	OB09741A	RK 470K 1/6W J	C259	OB40127A	CE 2.2μ 50V			
						R208L,R	OB09653A	RK 100 1/6W J	R460,461	OB09725A	RK 100K 1/6W J	C260	OB40127A	CE 10μ 63V			
						R209L,R	OB09719A	RK 56K 1/6W J	R462,463	OB09689A	RK 3.3K 1/6W J	C261	OB09372A	CE 2.2μ 50V			
						R210L,R	OB09653A	RK 100 1/6W J	R464,465	OB09689A	RK 3.3K 1/6W J	C262	OB05899A	CE 220μ 10V			
						R211L,R	OB09719A	RK 56K 1/6W J	R466	OB09677A	RK 1K 1/6W J	C263	OB01400A	CE 100μ 16V			
						R212L,R	OB09653A	RK 100 1/6W J				C264,265	OB41926A	CML 0.1μ 250V J			
						R213L,R	OB09725A	RK 100K 1/6W J	R467,468	OB09749A	RK 1M 1/6W J	C266L,R	OB41005A	CC 180P 50V J (TA-4E)	Heat Sink Ass'y		
						R214L,R	OB09661A	RK 220 1/6W J									
						R215L,R	OB09725A	RK 100K 1/6W J	R469	OB09725A	RK 100K 1/6W J	C451	OB01400A	CE 100μ 16V	Q258L,R	OB06316A	TR 2SD882 (R,S) (Pair)
						R216L,R	OB09661A	RK 220 1/6W J				C452	OB09860A	CML 0.022μ 50V J	Q259L,R	OB10259A	TR 2SC4381 (O,Y) (Pair)
						R217L,R	OB09725A	RK 100K 1/6W J	R470,471	OB09749A	RK 1M 1/6W J	C453	OB40418A	CE 330μ 16V (LN)	Q260L,R	OB10258A	TR 2SA1667 (O,Y) (Pair)
						R218L,R	OB09661A	RK 220 1/6W J	R472	OB09725A	RK 100K 1/6W J	C454	OB41911A	CC 470P 50V J	Q261L,R	OB10251A	TR 2SA1492 (O,Y) (Pair)
						R219L,R	OB09717A	RK 47K 1/6W J				C455	OB41294A	CML 0.047μ 50V J	Q262L,R	OB10251A	TR 2SA1492 (O,Y) (Pair)
						R220L,R	OB09717A	RK 47K 1/6W J				C456	OB40111A	CE 0.47μ 50V	Q263L,R	OB10250A	TR 2SC3856 (O,Y) (Pair)
						R221L,R	OB09717A	RK 47K 1/6W J	R473	OB09717A	RK 47K 1/6W J	C457	OB01405A	CE 1μ 50V	Q264L,R	OB10250A	TR 2SC3856 (O,Y) (Pair)
						R222L,R	OB05623A	RK 1.2K 1/4W J	R476,477	OB09695A	RK 5.6K 1/6W J	C460	OB05652A	CML 4700P 50V J			
						R223,224	OB09725A	RK 100K 1/6W J	R478,479	OB09701A	RK 10K 1/6W J	C462,463	OB40111A	CE 0.47μ 50V			
						R225	OB09717A	RK 47K 1/6W J	R480	OB09703A	RK 12K 1/6W J	C464,465	OB41228A	CPF 510P 100V J (TA-4/4E)			
						R226	OB01889A	RK 100K 1/4W J	R481	OB09717A	RK 47K 1/6W J						
						R228	OB09717A	RK 47K 1/6W J	R911,912	OB24194A	RF 10 1/6W J		OB41222A	CPF 750P 100V J (TA-4A)			
						R229,230	OB09717A	RK 47K 1/6W J	R913,914	OB09685A	RK 2.2K 1/6W J	C466,467	OB09816A	CE 10μ 16V (LN)			
						R231	OB09733A	RK 220K 1/6W J	R915	OB09677A	RK 1K 1/6W J	C468,469	OB41281A	CML 3900P 50V J	TH250	OB19011A	Thermistor
						R232	OB01889A	RK 100K 1/4W J	R916	OB09725A	RK 100K 1/6W J	C470	OB41412A	CE 10μ 16V		OB90369A	Transistor Bush (1)
						R233	OB09705A	RK 15K 1/6W J	R917	OB09687A	RK 2.7K 1/6W J	C471	OB09932A	CE 22μ 16V (LN)		OE00818A	M3x8 @ Binding (2)
						R234	OB09733A	RK 220K 1/6W J	R918	OB09685A	RK 2.2K 1/6W J	C472,473	OB41395A	CPF 240P 50V J (TA-4)		OE00921A	M3x10 @ Binding (2)
						R235	OB09725A	RK 100K 1/6W J	R919	OB09677A	RK 1K 1/6W J					OE03138A	M3x10 @ Binding (17)
						R236	OB09705A	RK 15K 1/6W J	R920,921	OB24194A	RF 10 1/6W J					OE03495A	BT3x10 @ Countersunk (Black Chromate) (2)
						R237	OB05625A	RK 220K 1/4W J	R922	OB09685A	RK 2.2K 1/6W J	C474,475	OB01405A	CE 1μ 50V			
						R238	OB09705A	RK 15K 1/6W J	R923	OB09697A	RK 6.8K 1/6W J	C476	OB41914A	CC 0.01μ 50V Z			
						R239	OB09725A	RK 100K 1/6W J	R924	OB09701A	RK 10K 1/6W J	C913,914	OB40514A	CE 2200μ 35V (LN)			
						R240	OB05625A	RK 220K 1/4W J	R925	OB09693A	RK 4.7K 1/6W J	C915,916	OB01603A	CML 0.1μ 50V K			
						R241	OB09705A	RK 15K 1/6W J	R926,927	OB09701A	RK 10K 1/6W J	C917,918	OB41217A	CPF 470P 100V J			
						R242	OB09725A	RK 100K 1/6W J	R928	OB09701A	RK 10K 1/6W J	RY101L,R	OB90279A	Relay 24V DS2Y-S-DC24V			
						R243	OB09701A	RK 10K 1/6W J	R929	OB09685A	RK 2.2K 1/6W J						
						R250L,R	OB09701A	RM 100 1/4W F	R930	OB09701A	RK 10K 1/6W J	RY250,251	OB90333A	Relay 24V 24MBU-510-UL			
						R251L,R	OB01683A	RK 15K 1/4W J	R931	OB09685A	RK 2.2K 1/6W J						
						R252L,R	OB21495A	RF 820 1/6W J	R934	OB09685A	RK 2.2K 1/6W J	RY252	OB90279A	Relay 24V DS2Y-S-DC24V			
						R253L,R	OB05641A	RK 47K 1/4W J	C101L,R	OB41298A	CML 0.1μ 50V J						
						R254L,R	OB01679A	RK 100 1/4W J	C102L,R	OB41703A	CSP 100P 50V J	S101	OB70136A	Slide Switch SSSP-2			
						R255L,R	OB01933A	RK 220 1/4W J	C103L,R	OB41388A	CPF 3600P 100V J	F903,904	OB90336A	Fuse 1A 250V (TA-4/4A)			
						R256L,R	OB24190A	RF 47K 1/2W J	C104L,R	OB41300A	CML 0.15μ 50V J						
						R257L,R	OB01846A	RK 4.7K 1/4W J	C105L,R	OB40513A	CE 1000μ 6.3V (LN)						
						R258L,R	OB09757A	RM 1.54K 1/4W F	C106L,R	OB41705A	CSP 1000P 50V J						
						R259L,R	OB22747A	RM 42.2K 1/4W F	C107L,R	OB41138A	CPF 3600P 100V G						
						R260L,R	OB24188A	RF 180 1/4W J	C108L,R	OB41117A	CPF 470P 100V G	TP1,2	OB81759A	2P-T Post			
						R261L,R	OB01857A	RK 1K 1/4W J	C109L,R	OB41118A	CPF 510P 100V G	PJ101	OB81962A	2P Pin Jack			
						R262L,R	OB24183A	RF 180 1/4W J	C110L,R	OB09933A	CE 2.2μ 50V (LN)	PJ102	OB81963A	2P Pin Jack			
						R263L,R	OB09420A	RM 2.2K 1/4W F	C111L,R	OB09816A	CE 10μ 16V (LN)	PJ103,104	OB81948A	4P Pin Jack			
						R264L,R	OB09420A	RM 2.2K 1/4W F	C112L,R	OB09860A	CML 0.022μ 50V J	PJ105,106	OB81948A	4P Pin Jack			
						R265L,R	OB05959A	RK 75 1/4W J	C113L,R	OB42121A	CPF 510P 100V J	CN1A	OB81761A	4P-T Post EH-4P			
						R266L,R	OB05959A	RK 75 1/4W J	C114L,R	OB41302A	CML 0.22μ 50V J	CN1B	OB81971A	4P-T Post EH-4P BLK			
						R267L,R	OB09681A	RK 1.5K 1/6W J	C117L,R	OB09816A	CE 10μ 16V (LN)	CN2AB	OB83426B	8P Connector 350mm			
						R268L,R	OB24198A	RF 10 1/2W J	C131L,R	OB41302A	CML 0.22μ 50V J						
						R269L,R	OB24198A	RF 10 1/2W J	C133L,R	OB09286A	CC 470P 50V K (TA-4E)	CN3	OB83412B	5P Connector 300mm			
						R270L,R	OB24196A	RF 3.3 1/4W J									
						R271L,R	OB24196A	RF 3.3 1/4W J	C134L,R	OB41735A	CC 100P 50V J (TA-4E)	CN4	OB81760A	3P-T Post EH-3P WHT			
						R272L,R	OB24094A	RC 1 5W K									
						R273L,R	OB24094A	RC 1 5W K	C135L,R	OB09288A	CC 1000P 50V K (TA-4E)	CN5	OB81764A	7P-T Post EH-7P WHT			
						R274L,R	OB24094A	RC 1 5W K									
						R275L,R	OB24094A	RC 1 5W K	C136L,R	OB09288A	CC 1000P 50V K (TA-4E)	CN7	OB81973A	5P-T Post EH-5P BLK			
						R276L,R	OB09689A	RK 3.3K 1/6W J									
						R277L,R	OB09723A	RK 82K 1/6W J	C165	OB40101A	CE 22μ 35V	CN8	OB81760A	3P-T Post EH-3P WHT			
						R278L,R	OB09713A	RK 33K 1/6W J	C166	OB09163A	CE 10μ 16V (BP)						
						R279L,R	OB09731A	RK 180K 1/6W J	C167	OB01603A	CML 0.1μ 50V K	CN9	OB83411B	5P Connector 230mm			

7. SCHEMATIC DIAGRAMS

7.1. IC Block Diagrams




Fig. 7.1.1 Operational Amp. IC NJM4558D, NJM072DE, NJM5532DD




Fig. 7.1.2 Operational Amp. IC NJM4558S, NJM5532SD




Fig. 7.1.3 NOR Gate C-MOS IC μ PD4001BC




Fig. 7.1.4 AND Gate C-MOS IC μ PD4081BC




Fig. 7.1.5 Bilateral Switch IC TC4066BP, LC4966




Fig. 7.1.6 3-to-8 Line Decoder IC μ PD74HC237




Fig. 7.1.8 Power Amp. Protector IC μ PC1237H




Fig. 7.1.10 Motor Control IC LB1645N




Fig. 7.1.7 FM IF Amp. IC TA7060AP




Fig. 7.1.9 Remote Control Receiver IC BX-1407

INPUT	IN1	IN2	OUTPUT	OUT1	OUT2	OPERATION
0	0	0	0	0	0	Braking
1	0	1	1	0	0	Forward (Reverse)
0	1	0	0	1	1	Reverse (Forward)
1	1	0	0	0	0	Braking




Fig. 7.1.11 AM Tuner IC LA1247




Fig. 7.1.12 ECL Prescaler (FM) IC TD6104P




Fig. 7.1.13 Signal Meter Driver IC LB1413N




Fig. 7.1.14 FM IF Amp. & Detector IC LA1235




Fig. 7.1.15 PLL FM MPX Demodulator IC LA3450




Fig. 7.1.16 Display Driver IC TD6301AN




Fig. 7.1.17 PLL Synthesizer IC TC9147BP




Fig. 7.1.18 Analog Function Switch LC7816




Fig. 7.1.19 MPU μPD75104CW

7.2. Schematic Diagrams

7.2.1. Tuner Section





Fig. 7.2.1






Fig. 7.2.1

Notes:

1. Diode is 1SS53, 1S1555 or 1SS176 unless otherwise specified.
2. 2SA733, 2SA608SP, 2SA1048 and 2SA1175 are interchangeable with each other.
3. 2SC945, 2SC536SP, 2SC2458 and 2SC2785 are interchangeable with each other.
4. Voltage measuring conditions
 - With no input signal applied to the input terminals.
 - With no load connected to the speaker terminals.

7.2.2. Video and Control Section





1. Diode is 1SS53, 1S1555 or 1SS176 unless otherwise specified.
2. 2SA733, 2SA608SP, 2SA1048 and 2SA1175 are interchangeable with each other.
3. 2SC945, 2SC536SP, 2SC2458 and 2SC2785 are interchangeable with each other.
4. Parts marked with ** indicate those for TA-4E.
5. Voltage measuring conditions
 - With no input signal applied to the input terminals.
 - With no load connected to the speaker terminals.

7.2.3. Amplifier Section






Fig. 7.2.3



8. WIRING DIAGRAM



- Notes: 1. Table of wire colors
- | | |
|--------------|--------------|
| BRN — Brown | BLU — Blue |
| RED — Red | VIO — Violet |
| ORN — Orange | GRY — Gray |
| YEL — Yellow | WHT — White |
| GRN — Green | BLK — Black |
2. Component side view of the P.C.B. is illustrated unless otherwise specified.
3. Wire tube color is shown in ().

Fig. 8

9. BLOCK DIAGRAMS

9.1. Tuner Section




Fig. 9.1

9.2. Amplifier Section




Fig. 9.2

10. SPECIFICATIONS

Power Amplifier Section

Note: Unless noted otherwise, specifications are in accordance with IHF-A-202 measured from any high-level input (CD/VIDEO/TAPE) to the speaker output.

Continuous Average Output Power	100 watts per channel into 8 ohms, both channels driven, 20—20,000 Hz, at no greater than 0.1% THD
Dynamic Output Power	132 watts per channel into 8 ohms 167 watts per channel into 4 ohms
Power Bandwidth	5—60,000 Hz 5—30,000 Hz (TA-4E)
Frequency Response	20—20,000 Hz; +0, -0.5 dB 20—20,000 Hz; +0, -1 dB (TA-4E) 5—85,000 Hz; +0, -3 dB 5—45,000 Hz; +0, -3 dB (TA-4E)
Signal to Noise Ratio (A-WTD, Input Shorted)	Better than 100 dB re Rated Power Better than 83 dB (IHF-A-202)
Total Harmonic Distortion (8 ohms, Rated Power, 20 Hz—20 kHz)	Less than 0.1%
Headphone Rated Output (40 ohms)	234 mW
Output Current Capability	28 A peak per channel

Preamplifier Section

Note: Unless noted otherwise, specifications are in accordance with IHF-A-202. Except for Sensitivity, S/N, Tone Control and Loudness characteristics (which are measured to the speaker outputs), measurements are made from the specified input to Rec. Out.

Sensitivity (for rated output)	
Phono MC	60/160 μ V (Gain: 32/24 dB)
Phono MM	2.5 mV
CD/Tape/Video	150 mV
Main In	1.0 V
Sensitivity (for 1-watt output, IHF-A-202)	
Phono MC	6.0/16 μ V (Gain: 32/24 dB)
Phono MM	0.25 mV
CD/Tape/Video	15 mV
Main In	100 mV
Input Impedance	
Phono MC	100 ohms
Phono MM	47 kohms
CD/Tape/Video	20 kohms
Main In	15 kohms
Maximum Input Level (1 kHz)	
Phono MC	4.0/10 mV (Gain: 32/24 dB)
Phono MM	180 mV
Pre Output Level/Impedance	1.0 V/1 kohms
Record Output Level/Impedance	150 mV/1.5 kohms
Total Harmonic Distortion (1 kHz, to Rec. Out, at 1 V)	
Phono MC	Less than 0.007% (either gain)
Phono MM	Less than 0.005%
RIAA Deviation	
Phono MC	30—20,000 Hz \pm 0.5 dB
Phono MM	30—20,000 Hz \pm 0.5 dB
Signal to Noise Ratio (to speaker output, IHF-A-202)	
Phono MC	Better than 70 dB (either gain) Better than 68 dB (either gain) (TA-4E)
Phono MM	Better than 78 dB Better than 76 dB (TA-4E)

Tone Controls

Bass 20 Hz, ± 10 dB
Treble 20 kHz, ± 10 dB
Variable Loudness 20 Hz, +20 dB; 20 kHz, +6 dB
(re maximum attenuation:
-40 dB at 1 kHz)
Subsonic Filter (Phono only) . . Cutoff Frequency 20 Hz, -12 dB/octave

Tuner Section

(1) TA-4 (Other) (See Note) & TA-4A

Note: Selector switch settings for Other Model

Frequency Step FM/AM: 100 kHz/10 kHz, De-emphasis: 75 μ s, IF Band: Wide

[FM Section]

Note: All RF levels in microvolts given re 300-ohm antenna input.

Modulation: Mono 100%, Stereo Pilot 9%, Stereo Audio Signal 91%.

All measurements made at Rec. Out Jack.

Frequency Range 87.5-108.0 MHz in 100 kHz steps

IHF Usable Sensitivity 11.0 dBf/1.9 μ V
(Mono)

50-dB Quieting Sensitivity

Mono 14.7 dBf/3.0 μ V

Stereo 37.5 dBf/41.1 μ V

Signal to Noise Ratio at 65 dBf

Mono Better than 82 dB

Stereo Better than 75 dB

Muting Threshold 30 dBf/17.3 μ V

Frequency Response 20-15,000 Hz ± 1 dB

Total Harmonic Distortion (1 kHz)

Mono Less than 0.07%

Stereo Less than 0.07%

Capture Ratio 2.0 dB

Alternate Channel Selectivity . . 65 dB (± 400 kHz)

Stereo Separation at 1 kHz . . . Better than 50 dB

Spurious Response Rejection . . Better than 90 dB

Image Rejection Better than 75 dB

IF Rejection Better than 80 dB

AM Suppression Better than 60 dB

[AM Section]

Note: Modulation - 400 Hz, 30%

Frequency Range 520-1,710 kHz in 10 kHz steps

Sensitivity 53 dB μ /m

Signal to Noise Ratio at 90 . . . Better than 52 dB
dB μ /m

Total Harmonic Distortion . . . Less than 0.5%
at 90 dB μ /m

Selectivity Better than 20 dB (± 10 kHz)

(2) TA-4 (Other) (See Note) & TA-4E

Note: Selector switch settings for Other Model

Frequency Step FM/AM: 50 kHz/9 kHz, De-emphasis: 50 μ s, IF Band: Narrow

[FM Section]

Note: All RF levels in microvolts given re 300-ohm antenna input.

Modulation: Mono 60%, Stereo Pilot 9%, Stereo Audio Signal 51%.

All measurements made at Rec. Out Jack.

Frequency Range	87.50—108.00 MHz in 50 kHz steps
IHF Usable Sensitivity (Mono)	11.0 dBf/1.9 μ V
50-dB Quieting Sensitivity	
Mono	23.0 dBf/7.7 μ V
Stereo	44.0 dBf/86.8 μ V
Signal to Noise Ratio at 65 dBf	
Mono	Better than 72 dB (TA-4E)/78 dB (TA-4 (Other))
Stereo	Better than 67 dB (TA-4E)/68 dB (TA-4 (Other))
Muting Threshold	30 dBf/17.3 μ V
Frequency Response	20—15,000 Hz \pm 1 dB
Total Harmonic Distortion (1 kHz)	
Mono	Less than 0.20%
Stereo	Less than 0.25%
Capture Ratio	2.0 dB
Alternate Channel Selectivity	70 dB (\pm 300 kHz)
Stereo Separation at 1 kHz	Better than 40 dB
Spurious Response Rejection	Better than 90 dB
Image Rejection	Better than 75 dB
IF Rejection	Better than 80 dB
AM Suppression	Better than 60 dB

[AM Section]

Note: Modulation — 400 Hz, 30%

Frequency Range	522—1,611 kHz in 9 kHz steps
Sensitivity	53 dB μ /m
Signal to Noise Ratio at 90 dB μ /m	Better than 52 dB
Total Harmonic Distortion at 90 dB μ /m	Less than 0.5%
Selectivity	Better than 20 dB (\pm 9 kHz)

General

Power Source	120, 220, 240 or 110/120/220/240 V AC, 50/60 Hz (According to country of sale)
Power Consumption	425 watts max.
Convenience Outlets	Switched (2 pcs.) + Unswitched (1 pce.) (TA-4 (Other) & TA-4A) Switched (1 pce.) (TA-4E)
Dimensions	430 (W) x 125 (H) x 370 (D) mm 16-15/16 (W) x 4-15/16 (H) x 14-9/16 (D) inches
Approximate Weight	15.0 kg, 33 lbs. 1 oz.

Remote Control Unit (RM-4TA)

Principle	Infrared Pulse System
Power Supply	3 V DC (1.5 V x 2)
Dimensions	64 (W) x 18 (H) x 176 (D) mm 2-1/2 (W) x 11/16 (H) x 6-15/16 (D) inches
Approximate Weight	140 g, 5 oz. (including batteries)

- Specifications and design are subject to change for further improvement without notice.
- STASIS manufactured under license from Threshold Corporation.
- STASIS is a trademark of Threshold Corporation.